

01C



Ref. No: PSCL/U-I/EC-Compliance/26-27/093

Date: 20.05.2026

To,

The Deputy Director General of Forests (Central),
West Central Zone, Regional Office,
New Secretariat Building,
Opp. VCA Ground, Civil Lines,
Nagpur-440 001

Sub: Submission Half Yearly Environmental Clearance Compliance Report of M/s. Privi
Speciality Chemicals Limited for Unit-I, Plot No.: A-7, MIDC Mahad, Dist.- Raigad.

Ref: EC-Environment Department, MS, SEIAA Letter-SEAC 2013/CR-242/TC-2 Dated
08.10.2015

Dear Sir,

With reference to the above subject, we are hereby submitting the half-yearly Environmental
Clearance (EC) compliance report for the period October 2025 to March 2026.

The EC compliance report has also been uploaded on the PARIVESH Portal.

Additionally, soft copies of the compliance report are being submitted to your email ID:
eccompliance-mh@gov.in.

We trust that the enclosed compliance report is in line with the stipulated EC conditions.

Thanking You,

For Privi Speciality Chemicals Limited, Unit I

Authorized Signature



CC to:

1. The Regional Officer, MPCB-Raigad
2. The Sub Regional Officer, MPCB-Mahad

Page No. 1 to 132 Nos.

Sd/- 03/06/26
प्रदेशिक कार्यालय, रायगड
म.प्र.वि.मंडळ, रायगड भवन, ६ वा माळा
सी.बी.डी. बेलापूर, नवी मुंबई - ४००६१४




PRIVI SPECIALITY CHEMICALS LIMITED

Unit I : A-7, M.I.D.C., Mahad - 402 309. Dist. Raigad, Maharashtra, India | Tel.: +91 8879228864 / 8879228865

Knowledge Centre & Regd. Office : Privi House, A-71, TTC, Thane Belapur Road, Near Kopar Khairane Railway Station,
Navi Mumbai - 400 710. India | Tel. : +91 22 68713200 / 33043500 / 33043600 / 27783040 / 27783041 / 27783045
Fax: +91 22 27783049 / 68713232 | Email: enquiry@privi.co.in | Web: www.privi.com | CIN: L15140MH1985PLC286828

O/C



Ref. No: PSCL/U-I/EC-Compliance/26-27/093

Date: 20.05.2026

To,

The Deputy Director General of Forests (Central),
West Central Zone, Regional Office,
New Secretariat Building,
Opp. VCA Ground, Civil Lines,
Nagpur-440 001

Sub: Submission Half Yearly Environmental Clearance Compliance Report of M/s. Privi Speciality Chemicals Limited for Unit-I, Plot No.: A-7, MIDC Mahad, Dist.- Raigad.

Ref: EC-Environment Department, MS, SEIAA Letter-SEAC 2013/CR-242/TC-2 Dated 08.10.2015

Dear Sir,

With reference to the above subject, we are hereby submitting the half-yearly Environmental Clearance (EC) compliance report for the period October 2025 to March 2026.

The EC compliance report has also been uploaded on the PARIVESH Portal.

Additionally, soft copies of the compliance report are being submitted to your email ID: eccompliance-mh@gov.in.

We trust that the enclosed compliance report is in line with the stipulated EC conditions.

Thanking You,

For Privi Speciality Chemicals Limited, Unit I

Authorized Signature



CC to:

1. The Regional Officer, MPCB-Raigad
2. The Sub Regional Officer, MPCB-Mahad

Sub Regional Officer
Maharashtra Pollution Control Board,
C.F.C. Building, MIDC, Mahad,
Dist. Raigad, Pin - 402309

Page No. 1 of 132 Nos



PRIVI SPECIALITY CHEMICALS LIMITED

Unit I : A-7, M.I.D.C., Mahad - 402 309. Dist. Raigad, Maharashtra, India | Tel.: +91 8879228864 / 8879228865

Knowledge Centre & Regd. Office : Privi House, A-71, TTC, Thane Belapur Road, Near Kopar Khairane Railway Station, Navi Mumbai - 400 710. India | Tel. : +91 22 68713200 / 33043500 / 33043600 / 27783040 / 27783041 / 27783045
Fax: +91 22 27783049 / 68713232 | Email: enquiry@privi.co.in | Web: www.privico.com | CIN: L15140MH1985PLC286828

Your (**Half Yearly Compliance Report**) has been **Submitted** with following details

Proposal No	SEAC-2013/CR-242/TC-2
Compliance ID	1229733979
Compliance Number(For Tracking)	EC/M/COMPLIANCE/1229733979/2026
Reporting Year	2025
Reporting Period	01 Jun(01 Oct - 31 Mar)
Submission Date	30-05-2026
RO/SRO Name	Shri Senthil Kumar Sampath
RO/SRO Email	agmu156@ifs.nic.in
State	MAHARASHTRA
RO/SRO Office Address	Integrated Regional Offices, Nagpur

Note:- SMS and E-Mail has been sent to Shri Senthil Kumar Sampath, MAHARASHTRA with Notification to Project Proponent.



परिवेश
PARIVESH
(CPC GREEN)

पर्यावरण, वन और जलवायु परिवर्तन मंत्रालय

Ministry of Environment, Forest and Climate Change



75
आज़ादी का
अमृत महोत्सव



सत्यमेव जयते

Back

View Half Yearly Compliance Report at Project Proponent

Proposal Details

Proposal No

SEAC-2013/CR-242/TC-2

Category

Industrial Projects - 3

Name of Project

Environment clearance for proposed aroma chemical production capacity in unit 1 on plot No A-7, MIDC area, Mahad, Dist-Raigad by M/s Privi Organics Limited

Plot / Survey/ Khasra No.**Village(s)****Sub-District(s)****State**

MAHARASHTRA

District

RAIGAD

MoEF File No

SEAC-2013/CR-242/TC-2

Name of the Entity/**Corporate Office**

Privi Organics Limited

Entity's PAN

*****5113Q

Entity Name as per PAN

PRIVI SPECIALITY CHEMICALS LIMITED

Entity details mentioned above is correct ?

Agree

Covering Letter

Covering Letter

[Click to View](#)

Compliance Reporting Details

Reporting Year

2025

Reporting Period

01 Jun(01 Oct - 31 Mar)

Remark(if any)

We are hereby submitting the half yearly Environmental Clearance (EC) compliance report for the period October 2025 to March 2026.

Details of Production and Project Area

Date of Commencement of Project/Activity

27-02-2016

Status of implementation of the projecty

Operational

	Project Area as per EC Granted(ha.)	Actual Project Area in Possession(ha.)
Private	0.00001	0.00001
Revenue Land	0	0
Forest	0	0
Others		
Total	0.00001	0.00001

Others Table

Sr.No.	Others Name	Area Granted	Actual Area	Action
1	MIDC	0.65	0.65	 Delete Row

Land Documents

[Click to View](#)

Video

NA

Production Table

Sr.No.	Name of the Product	Units	As per EC Granted	As per CTO Granted	CTO ID	Valid Up To	Last Finan Year v Repoi Year

Sr.No.	Condition Heading	Condition Details	Status of Compliance,Remarks / Reason and Supporting Documents
--------	-------------------	-------------------	--

General Conditions

Sr.No.	Condition Heading	Condition Details	Status of Compliance,Remarks / Reason and Supporting Documents	
1	Land Reclamation	No additional land shall be used/ acquired for any activity of the project without obtaining proper permission.	PPs Submission	Utilized existing MIDC approved land for project expansion. Total Plot Area 6525 sq.mt. Area used 6492 sq. m Complied 30-05-2026 Attachment: Click to View
2	Air Quality Monitoring And Preservation	For controlling fugitive natural dust, regular sprinkling of water and wind shields at appropriate distance in vulnerable distances in vulnerable areas of plant shall be ensured.	PPs Submission	The internal roads are made of RCC, and there is no dust generation on the roads. Hence, there are no fugitive emissions. Complied 30-05-2026 Attachment:NA
3	Air Quality Monitoring And Preservation	Regular monitoring of air quality, including SPM and SO2 both in working zone and ambient air shall be carried out in and around power plant and records shall be maintained. The location of the monitoring station and frequency of monitoring shall be decided in consultation with Maharashtra Pollution Control Board (MPCB) and submit report accordingly to MPCB.	PPs Submission	The location and frequency of Ambient Air Quality (AAQ) monitoring were decided in consultation with the MPCB. A total of three locations were selected and monitored monthly by the MoEF and CC recognized laboratory. The Report for period October 2025 to March 2026 are attached. Complied 30-05-2026

			Attachment: Click to View	
4	Statutory Compliance	Necessary arrangement shall be made to safety and ventilation arrangement in furnace area.	PPs Submission	Not Applicable. Complied 30-05-2026 Attachment:NA
5	Miscellaneous	Proper Housekeeping programmers shall be implemented.	PPs Submission	Housekeeping is maintained on the shop floor, and a daily checklist is maintained. Daily housekeeping checklist is attached. Complied 30-05-2026 Attachment: Click to View
6	Water Quality Monitoring And Preservation	In event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall be restart the until desired efficiency has been achieve.	PPs Submission	Noted, Unit I Tread effluent and domestic effluent were mixed and transfer to Unit III common ETP via pipe line. We confirm that in the event of any failure of pollution control equipment, all manufacturing activities will be immediately and safely halted until the pollution control systems are fully restored and functioning effectively. We will also ensure proper monitoring and preventive measures are in place to minimize such occurrences. Complied 30-05-2026 Attachment:NA

7	Air Quality Monitoring And Preservation	A stack of adequate height is based on DG set capacity shall be provided for control and dispersion of pollution from DG set. (If applicable)	PPs Submission	DG set stacks are installed 4 meters above the roof of the building as per MPCB consent conditions, and Retrofitted Emission Control Device (RECD) has been installed to reduce the harmful emissions. DG stack monitoring is carried out on a quarterly basis. Complied 30-05-2026 Attachment: Click to View
8	Water Quality Monitoring And Preservation	A detailed scheme of rainwater harvesting shall be prepared and implemented to recharge ground water.	PPs Submission	A rainwater harvesting system has been provided. Rainwater is collected from a rooftop area of 345 sq. m and collected in a 5 kiloliters capacity above ground tank and transfer to MIDC water storage tank. The report of the RWH system and site photographs are attached. Complied 30-05-2026 Attachment: Click to View
9	Water Quality Monitoring And Preservation	Arrangement shall be made for effluent and storm water does not get mix.	PPs Submission	Separate storm drainage and effluent drainage are provided. No mixing of both drains at any place. Complied 30-05-2026 Attachment:NA

10	Water Quality Monitoring And Preservation	Periodic monitoring of ground water shall be undertaken, and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.	PPs Submission	Not applicable. Complied 30-05-2026 Attachment:NA
11	Noise Monitoring & Prevention	Noise level shall be maintained as per standard. For people working in the high noise area requisite personal protective equipment like earplug etc. shall be provided.	PPs Submission	High noise area DG, Compressors are identified and acoustic enclosure provided to DG sets and silencer provided at high noise equipments. Displayed signage, earmuff and ear plug provided and made mandatory to employees working in high noise area. Photographs and copy of DG set insertion loss measured by MoEF and CC recognized laboratory attached. Complied 30-05-2026 Attachment: Click to View
12	Noise Monitoring & Prevention	The overall noise level in and around the plant shall be kept in well with in the standards by providing noise control measures including acoustic hoods, silencers, enclose, etc. on all sources of noise generation the ambient noise level shall be conform to standers prescribed under Environment (Protection) Act, 1986 Rules, 1989.	PPs Submission	The following measures have been taken to keep noise levels within the factory premises within the prescribed standards: 1. Acoustic enclosures have been provided for DG sets and blowers. 2. Silencers and enclosures have been installed in high-noise areas. 3. Ambient noise levels and DG set insertion loss are monitored on a quarterly basis. Ambient noise levels

				were monitored in November 2025 and February 2026 at 20 locations by MoEF and CC recognized laboratory. The observed average levels were 68.50 dB(A) during the daytime and 63.46 dB(A) during the nighttime, which conform to the standards prescribed under the Environment (Protection) Act, 1986 and Rules, 1989 Complied 30-05-2026 Attachment: Click to View
13	Greenbelt	Green belt shall be developed and maintain around the plant periphery. Green belt Development shall be carried out considering CPCB guideline including selection pf plant species and consultation with local DFO/ Agriculture Dept.	PPs Submission	We have acquired additional Open Space (OS 8) measuring 28,600 sq. m from MIDC. This area has been developed as green belt and drip irrigation facilities provided. It includes, This land is common to plantation for Privi Unit I, II and III Copies of the MIDC Open Space (OS 8) land allocation letter, the lease agreement and drip irrigation facilities. Photographs of the plantation site attached. Complied 30-05-2026 Attachment: Click to View

14	Risk Mitigation And Disaster Management	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early direction and warning.	PPs Submission	We have implemented the following safety measures to limit the risk zone within the factory premises: 1. All Electrical Fittings FLP confirming to Class C 2. Operations are controlled through DCS with inbuilt safety interlocks. 3. Safety Relieve valve, Rupture Disk, Breather Valve provided at respective tanks and reactors. 4. Pressure Reducing stations with periodical checks 5. Manual Call Point provided at respective points. 6. Smoke and heat detectors are installed at MCC, PCC, the plant shop floor, and the chemical storage area for early detection and warning. Complied 30-05-2026 Attachment: Click to View
----	---	--	----------------	--

15	Human Health Environment	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per Factories Act.	PPs Submission	The annual health checkup (Form 7) of employees was conducted in January 2026 by a Factory Medical Officer (FMO) from the Directorate of Industrial Safety and Health (DISH). Annual Health Check up report is attached. Complied 30-05-2026 Attachment: Click to View
16	Risk Mitigation And Disaster Management	The company shall make arrangements for protection of possible fire hazard during the manufacturing process in material handling.	PPs Submission	Following measures have been taken for protection of possible fire hazard during the manufacturing process in material handling. 1. All process SOPs have been developed, implemented, and employees have been trained. 2. Adequate vents and flame arresters have been provided for solvent storage tanks. 3. Earthing and bonding have been provided. 4. An earth integrity system has been installed at the solvent tanker unloading area. 5. Early detection systems LEL detectors, smoke detectors, and heat detectors have been provided at respective locations. Material compatibility is maintained during storage. Complied

			30-05-2026 Attachment:NA
17	Waste Management	The project authorities must strictly comply with the rule and regulations with regards to handling and disposal of hazardous wastes in accordance with Hazardous waste (Management and Handling) Rule, 2003 (amended). Authorization from MPCB shall be obtain for collection/treatment/ storage/disposal of hazardous wastes.	PPs Submission Authorization has been obtained from MPCB for air, water, and hazardous waste generation and disposal. MPCB Consent No.Format1.0/CC/UAN No. MPCB CONSENT 0000239007/CR/2509001154 dated 11.09.2025, valid up to 30.04.2030. We have taken membership from CHWTSDF, Taloja our membership no. is MWML HzW MHD 409, Validity up to 31.03.2026. Copy of CTO valid up to 30.04.2030 and CHWTSDF Membership copy is attached. Complied 30-05-2026 Attachment: Click to View
18	Waste Management	The company shall undertake following Waste Minimization Measures: Metering of quantities of active ingredients to minimize waste. Reuse of by- products from the process as raw material substitutes in other process. Maximizing Recoveries. Use of automated material transfer system to minimize spillage.	PPs Submission Automated material transfer process along with closed system provided to control material leakage/spillage. Early detection system provided. Complied 30-05-2026 Attachment:NA
19	Risk Mitigation And Disaster Management	Regular Mock drills for the on-site emergency management plan shall be carried out. Implementation of changes/ improvements required, if any, in the on-site management plan shall be ensured.	PPs Submission Mock drills are conducted on a quarterly basis. During the period from October 2025 to March 2026, a total of two (02) mock drills were conducted on 15.11.2025 and 23.02.2026. The compliance reports for both mock drills were submitted to

				the DISH Office. Copy of Mock Drill reports submissions by e mail communication and Mock Drill reports are attached. Complied 30-05-2026 Attachment: Click to View
20	Statutory Compliance	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.	PPs Submission	Separate environmental cell developed having experience employees and well equipped laboratory to carry out the environmental management and monitoring function at Unit-III (ETP). An environment management Cell is responsible for implementation of EMP. The Composition of the Environment Management Cell and responsibilities of various member are given below. Environment Staff: Executive, Operators Total 18 Nos. Complied 30-05-2026 Attachment: Click to View

21	Air Quality Monitoring And Preservation	Transportation of ash will be through closed container and all measure should be taken to prevent spillage of the ash.	PPs Submission	Boiler is not available in Unit I, this unit does not generate coal ash. Instead, Unit I utilizes the common boiler facility located at Plot No. A 3 (Unit III). Complied 30-05-2026 Attachment:NA
22	Waste Management	Separate silos will be provided for collection and storing bottom ash and fly ash.	PPs Submission	Not applicable. Complied 30-05-2026 Attachment:NA
23	Statutory Compliance	Separate funds shall be allocated for implementation of environmental protection measures/ EMP along with item wise breaks up. This cost shall be included as a part of the project cost. The funds earmarked for the environmental protection measures shall not be diverted for other purpose and year wise expenditure should reported to the MPCB and this department.	PPs Submission	Yes. A Separate Environment Management Fund (EMP) of Rs.116 Lakhs is earmarked for the Environment Management Fund (EMP). Complied 30-05-2026 Attachment: Click to View

24	Statutory Compliance	The project management shall advertise at least in two local news papers widely circulated in the region of the project, one of which shall be in Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies if clearance letter are available with Maharashtra Pollution Control Board and may also be seen at Website http://ec.maharastra.gov.in	PPs Submission	EC obtained advertisement published in Local Marathi newspaper Dainik Sagar on 24.10.2015 and in national English newspaper Indian Express on 24.10.2015. Copy of EC obtained advertisement attached. Complied 30-05-2026 Attachment: Click to View
25	Statutory Compliance	Project Management should submit half yearly compliance report in respect of the stipulated prior environment clearance terms and conditions in hard and soft copies to the MPCB and this department on 1st June and 1st December of each calendar year.	PPs Submission	Last half yearly compliance report submitted to MPCB and RO, MoEF, Nagpur on 01.12.2025 for period April 2025 to September 2025. Acknowledgement received from the Regional Office (RO) and Sub Regional Office (SRO) of the Maharashtra Pollution Control Board (MPCB) for the submission of the Half Yearly Environmental Clearance (EC) Conditions Compliance Report attached. Complied 30-05-2026 Attachment: Click to View
26	Statutory Compliance	A copy of the clearance letter shall be send by proponent to the concerned municipal corporation and the local NGO, if any, from whom suggestion / representation, if any were	PPs Submission	EC copy submitted to MPCB, DISH, MIDC, Local NGO and Gram panchayat. The clearance letter has been uploaded on

		received while processing the proposal. The clearance letter shall also put on the Website of the company by the proponent.		the company website. Complied 30-05-2026 Attachment:NA
27	Statutory Compliance	The proponent shall upload the status of compliance of the stipulated EC condition including result of monitored data on their website and update the same respectively Zonal officer of CPCB and SPCB .The criteria pollution levels namely; SPM,RSPM,SO2,NOx (ambient levels as well as stack emissions)or criteria sector parameters, indicated for the project shall be monitored and displayed at the convenient location near the main gate of the company in the public demand.	PPs Submission	Six monthly Environmental Clearance (EC) conditions compliance report submitted to MPCB, MoEF and copy uploaded on Company Website. Pollutions levels monitored and levels displayed on Environment Information Board located outside Factory Main entrance gate. Complied 30-05-2026 Attachment: Click to View
28	Statutory Compliance	The project proponent shall also submit six monthly report on the status of compliance of the stipulated EC conditions including results of monitoring data (both in hard copies as well as by e- mail) to the respectively Zonal officer of CPCB and SPCB.	PPs Submission	Six monthly reports on the status of compliance of the stipulated EC conditions including result of monitoring data submitted to MPCB. Hard Copy Submitted to MPCB and CPCB Acknowledgement of RO, SRO and e mail communicated to eccompliance attached Complied 30-05-2026 Attachment: Click to View
29	Statutory Compliance	The environmental statement for each financial year ending 31st March in form V as is mandated to be submitted	PPs Submission	Environmental Statement Report (Form V) for financial year April

		by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986 as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and also be send to the respective Regional Offices of MoEF by email.		2024 to March 2025 submitted online on MPCB web portal on 29.09.2025 Unique Application Number MPCB ENVIRONMENT STATEMENT 0000087596 Complied 30-05-2026 Attachment: Click to View
30	Statutory Compliance	The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project Proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Honorable court will be binding on the project Proponent. Hence this clearance does not give immunity to the project Proponent in the case filed against him, if any or action initiated under EP Act.	PPs Submission	Noted. Complied 30-05-2026 Attachment:NA
31	Statutory Compliance	The Environment department reserves the right to revoke the clearance if condition stipulated are not implemented to the satisfaction of the department or for that matter, for any other administration reason.	PPs Submission	Noted. Complied 30-05-2026 Attachment:NA
32	Statutory Compliance	Validity of Environmental clearance : The environmental clearance accorded if shall be valid for a period of 7 Year as per MoEF and CC Notification dated 29th April, 2015 to start of production operation.	PPs Submission	Noted. Complied 30-05-2026 Attachment:NA

33	Statutory Compliance	In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the conditions imposed and to incorporate additional environmental protection measures required, if any.	PPs Submission	Noted. Complied 30-05-2026 Attachment:NA
34	Statutory Compliance	The above stipulations would be enforced among other under the water (Prevention and control of pollution)Act, 1974 the Air water (Prevention and control of pollution) Act, 1981, The environmental (Protection) Act, 1986 and rules there under, Hazardous Waste (Management and handling) Rule, 1989 and and its amendments, the public Liability Insurance Act, 1991 And its amendments.	PPs Submission	Noted. Complied 30-05-2026 Attachment:NA
35	Statutory Compliance	Any appeal against this environmental clearance shall lie with the National Green Tribunal (Western Zone, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	PPs Submission	Noted. Complied 30-05-2026 Attachment:NA

Document uploaded by the PP

Last Site Visit Report (if available)

NA

Last Site Visit Report Date (if available)

Additional Attachment (if any)

NA

Additional Remarks (if any)

No visits were conducted during the period October 2025 to March 2026.

- ☒ I 'Privi Organics Limited' hereby give undertaking that the data and information given in the filed compliance and enclosures are true to be best of my knowledge and belief and I am aware that if any part of the data and information found to be false or misleading at any stage, the clearance given to the project will be revoked at our risk and cost. In addition to above, I hereby give undertaking that no activity such as change in project layout, construction, expansion, etc. has been taken up without due approval.

Cover Letter From RO/SRO

Cover Letter From RO/SRO

Back

General Conditions-1

A-2

9

1/15

SD 25865/-

पावली क

25/9/25 9004/08

मोदणी ३३ म
अनु. 39 m.

दस्तावेजाचा/अर्जाचा अनुक्रमांक

दिनांक

23/9/25

दस्तावेजाचा प्रकार—

9004/08
25/9/25 25865/-

सादर करणाऱ्याचे नाव—

For Privi Organics Pvt. Ltd.

या निवेदनाचे धर्मी निहाली—

प्र. फेरी प्र. वावाणी
Director.

नॉन्सो धी

2580-00

नवराळ धी (फोडिओ)

66-00

पुष्पांशनांची नवराळ धी

99-00

व्यालतर्ष

30-00

नवराळ किंवा झवरी (कलम ६४ ते ६७)

2-00

जोष किंवा निरीक्षण

49-00

दंड—कलम २५ अन्वये

2080-00

कलम ३४ अन्वये

40-00

संशोधित नवराळ (कलम ५७) (फोडिओ)

70-00

इतर धी (फोडिओ यादीवरील) वाच क

Duplex

दस्तावेजाचे

श्रीजी मयार हाउस

मोदणीकृत डावेने पावली म. जाहीर

नवराळ

या कार्यालयात देवात येईल.

दुय्यम निवेदक

दस्तावेज खाली नाव दिलेल्या धक्तीच्या

नावे नॉन्सो धी डावेने

दुय्यम निवेदक

दवाली फावला

सादरकर्ता



PRIVI ORGANICS PRIVATE LIMITED
MANUFACTURERS OF AROMATIC CHEMICALS

Date : 23rd December, 1994.

The Registrar,
Old Custom House,
Fort,
BOMBAY-400 001.

Dear Sir,

Re. Reg. No. R-2 /BBM/1985/94
Leased 23rd Dec. 1994

We are enclosing herewith the lease agreement, we have entered with MIDC regarding plot No. A-7 in Mahad Industrial Area. We request you to register this lease agreement and send the original copy to our address at PRIVI ORGANICS PVT.LTD., 205 Princess Street, Bombay-400 002, and duplicate copy should be sent to MIDC, Thane Regional Office, Office Complex Building, 1st Floor, Near Wagle Estate, Thane-400 604.

Thanking you,

Yours faithfully,
For PRIVI ORGANICS PVT.LTD.



DIRECTOR

Clerk
Sub-Registrar's Office
Bombay

MAHAD INDUSTRIAL AREA

WILL: KAMBLE TAL: MAHAD DIST RAIGAD.

SEACE: 10-M = 20.0 MTS.



[Signature]

ADILR



[Signature]

(K. G. SAWANT)
Regional Officer,
M. I. D. C. THANE-400 604.

[Signature]

General Conditions - 3



Privi Speciality Chemicals Limited Unit-I Ambient air monitoring report Oct-25 to March-26

Parameters	UOM	NAAQ Limit	Oct-25			Nov-25			Dec-25		
			A4	A5	A6	A4	A5	A6	A4	A5	A6
Particulate Matter (PM10)	µg/m ³	≤100	73.64	78.15	72.28	79.82	79.92	78.4	78.95	76.25	80.35
Particulate Matter (PM2.5)	µg/m ³	≤60	25.8	30.25	28.41	35.64	35.15	30.28	28.7	29.81	31.71
Sulphur Dioxide(So2)	µg/m ³	≤80	24	26.4	23.5	28	28.4	25.8	27.8	25.8	26.8
Oxides of Nitrogen	µg/m ³	≤80	29.4	28	25.8	29.4	29.8	27.6	30.2	29.4	29.2
Ozone(O3)	µg/m ³	≤180 (1 hr)	15	15.8	16	15	15.2	15.3	18	16.2	18.2
Lead	µg/m ³	≤1.0	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Carbon Monoxide (CO)	µg/m ³	≤4 (1 hr)	1.52	1.77	1.82	1.82	1.82	1.78	1.92	1.9	1.95
Ammonia (NH3)	µg/m ³	≤400	12.5	15.5	13.6	15	14	19.2	18	18	16.2
Benzene (C6H6)	µg/m ³	≤05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Benzo (a) Pyrene(BaP)	ng/m ³	≤01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Arsenic (AS)	ng/m ³	≤06	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Nickel(Ni)	ng/m ³	≤20	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL

Parameters	UOM	NAAQ Limit	Jan-26			Feb-26			Mar-26		
			A4	A5	A6	A4	A5	A6	A4	A5	A6
Particulate Matter (PM10)	µg/m ³	≤100	81.23	82.12	78.62	81.3	84.32	82.65	84.8	79.65	84.6
Particulate Matter (PM2.5)	µg/m ³	≤60	30.16	33.24	30.18	37.8	38.41	31.24	32.4	32.88	38.1
Sulphur Dioxide(So2)	µg/m ³	≤80	28.4	28.6	26.2	29.4	30.25	26.4	29.5	27.5	29.5
Oxides of Nitrogen	µg/m ³	≤80	31.6	29.4	31.6	29.8	30.1	28.3	34	32.5	32
Ozone(O3)	µg/m ³	≤180 (1 hr)	19.2	18.6	16.8	15.4	15.9	16.1	18	17.2	19.2
Lead	µg/m ³	≤1.0	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Carbon Monoxide (CO)	µg/m ³	≤4 (1 hr)	1.98	1.98	1.94	1.86	1.94	1.82	2.1	1.97	2.08
Ammonia (NH3)	µg/m ³	≤400	18.4	16.8	20	15.4	15.3	19.7	19.2	20.5	18
Benzene (C6H6)	µg/m ³	≤05	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Benzo (a) Pyrene(BaP)	ng/m ³	≤01	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Arsenic (AS)	ng/m ³	≤06	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Nickel(Ni)	ng/m ³	≤20	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India
ISO 9001: 2015 and ISO 45001: 2018 Certified Company

ENalyse*

ULR No.: Not Applicable					
Ambient Air Quality Monitoring Report				Report No. AB/PSC/10/2025-26/472	
Client Details Name & Address: M/s. Privi Speciality Chemicals Ltd., (Unit-I) Plot No.A-7, MIDC Mahad Dist-Raigad-402309, Maharashtra, India		Sample Code		AB/PSC/10/2025-26/472	
		Sample Name /Location		(A4) Near Main Gate	
		Sample Type		Ambient Air	
		Method of Sampling		IS:5182 &CPCB Manual-(NAAQMS 36/2012-13)	
		Sample Collected By		Aavanira Biotech Pvt. Ltd.,	
		Sample Collected On		16/10/2025	
		Sample Received on Date		18/10/2025	
		Sample Condition / Description		Liquids of 30 ml in Sealed & intact plastic Containers, Filter Papers in sealed case.	
		Analysis Date		18/10/2025 to 24/10/2025	
		Analysis Done At		Aavanira Biotech Pvt Ltd	
Reporting Date		24/10/2025			
Sample returned /stored		Stored at 4°C for 1 week from the date of reporting			
Instrument Details		Ambient Fine Dust Sampler, AB/Tech/Instr/121 Calibrated on -18/04/2025 Due On-17/04/2026			
Ambient Temperature		32.2°C	Relative Humidity(RH)		52 %
Sampling Duration		24 Hrs.			
Time of Sampling		11:50 a.m. to 11:50 a.m.			
Sr. No.	Parameter	Results	Units	NAAQ Standards	Standard Method
1.	Particulate Matter (PM ₁₀)	73.64	µg/m ³	≤ 100	IS 5182 Part 23 : 2006 (R.A.:2022)
2.	Particulate Matter (PM _{2.5})	25.80	µg/m ³	≤ 60	IS 5182 Part 24 : 2019(R.A.:2024)
3.	Sulphur Dioxide (SO ₂)	24.0	µg/m ³	≤ 80	IS 5182 Part 2 : 2001 (R.A.:2023)
4.	Oxides of Nitrogen (NO _x)	29.4	µg/m ³	≤ 80	IS 5182 Part 6 : 2006 (R.A.:2022)
5.	Ozone (O ₃)	15.0	µg/m ³	≤ 180 (1 Hr.)	IS: 5182 Part 9 : 1974 (R.A.:2024)
6.	Lead (Pb)	BDL[D.L.=0.1]	µg/m ³	≤ 1.0	SOP No. AB/TECH/CHM/SOP/A/07
7.	Carbon Monoxide (CO)	1.52	mg/m ³	≤ 04 (1 Hr.)	IS 5182 Part 10 : 1999(R.A.:2024)
8.	Ammonia (NH ₃)	12.5	µg/m ³	≤ 400	IS 5182 Part 25 : 2018
9.	Benzene (C ₆ H ₆)	BDL[D.L.=0.02]	µg/m ³	≤ 05 (Annual)	IS 5182 Part 11 : 2006 (R.A.:2022)
10.	Benzo(a)Pyrene (BaP)	BDL[D.L.=0.001]	ng/m ³	≤ 01(Annual)	IS 5182 Part 12 :2004 (R.A.:2019)
11.	Arsenic (As)	BDL[D.L.=0.1]	ng/m ³	≤ 06 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07
12.	Nickel (Ni)	BDL[D.L.=0.1]	ng/m ³	≤ 20 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07

BDL: Below Detection Limit.

Statement of Conformity: The above mentioned test results are complies with prescribed National Ambient Air Quality Standards (NAAQS: 2009) limits.

Verified & Reviewed by- Quality Manager

i) Results relate only to the items tested.

ii) Report shall not be reported except in full without approval of the laboratory.



Authorized by - TM (Chem.)

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India
ISO 9001: 2015 and ISO 45001: 2018 Certified Company

ENalyse*

ULR No.: Not Applicable					
Ambient Air Quality Monitoring Report				Report No. AB/PSC/10/2025-26/473	
Client Details Name & Address: M/s. Privi Speciality Chemicals Ltd., (Unit-I) Plot No.A-7, MIDC Mahad Dist-Raigad-402309, Maharashtra, India		Sample Code		AB/PSC/10/2025-26/473	
		Sample Name /Location		(A5) Near N ₂ Plant North Side	
		Sample Type		Ambient Air	
		Method of Sampling		IS:5182 &CPCB Manual-(NAAQMS 36/2012-13)	
		Sample Collected By		Aavanira Biotech Pvt. Ltd.,	
		Sample Collected On		16/10/2025	
		Sample Received on Date		18/10/2025	
		Sample Condition / Description		Liquids of 30 ml in Sealed & intact plastic Containers, Filter Papers in sealed case.	
		Analysis Date		18/10/2025 to 24/10/2025	
		Analysis Done At		Aavanira Biotech Pvt Ltd	
		Reporting Date		24/10/2025	
Sample returned /stored		Stored at 4°C for 1 week from the date of reporting			
Instrument Details		Ambient Fine Dust Sampler, AB/Tech/Instr/132 Calibrated on –18/04/2025 Due On–17/04/2026			
Ambient Temperature		33.0°C	Relative Humidity(RH)	55 %	
Sampling Duration		24 Hrs.			
Time of Sampling		12:30 p.m. to 12:30 p.m.			
Sr. No.	Parameter	Results	Units	NAAQ Standards	Standard Method
1.	Particulate Matter (PM ₁₀)	78.15	µg/m ³	≤ 100	IS 5182 Part 23 : 2006 (R.A.:2022)
2.	Particulate Matter (PM _{2.5})	30.25	µg/m ³	≤ 60	IS 5182 Part 24 : 2019(R.A.:2024)
3.	Sulphur Dioxide (SO ₂)	26.4	µg/m ³	≤ 80	IS 5182 Part 2 : 2001 (R.A.:2023)
4.	Oxides of Nitrogen (NO _x)	28.0	µg/m ³	≤ 80	IS 5182 Part 6 : 2006 (R.A.:2022)
5.	Ozone (O ₃)	15.8	µg/m ³	≤ 180 (1 Hr.)	IS: 5182 Part 9 : 1974 (R.A.:2024)
6.	Lead (Pb)	BDL[D.L.=0.1]	µg/m ³	≤ 1.0	SOP No. AB/TECH/CHM/SOP/A/07
7.	Carbon Monoxide (CO)	1.77	mg/m ³	≤ 04 (1 Hr.)	IS 5182 Part 10 : 1999(R.A.:2024)
8.	Ammonia (NH ₃)	15.5	µg/m ³	≤ 400	IS 5182 Part 25 : 2018
9.	Benzene (C ₆ H ₆)	BDL[D.L.=0.02]	µg/m ³	≤ 05 (Annual)	IS 5182 Part 11 : 2006 (R.A.:2022)
10.	Benzo(a)Pyrene (BaP)	BDL[D.L.=0.001]	ng/m ³	≤ 01(Annual)	IS 5182 Part 12 :2004 (R.A.:2019)
11.	Arsenic (As)	BDL[D.L.=0.1]	ng/m ³	≤ 06 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07
12.	Nickel (Ni)	BDL[D.L.=0.1]	ng/m ³	≤ 20 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07

BDL: Below Detection Limit.

Statement of Conformity: The above mentioned test results are complies with prescribed National Ambient Air Quality Standards (NAAQS: 2009) limits.

Verified & Reviewed by- Quality Manager

- Results relate only to the items tested.
- Report shall not be reported except in full without approval of the laboratory.



Authorized by - TM (Chem.)

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India
ISO 9001: 2015 and ISO 45001: 2018 Certified Company

ENalyse*

ULR No.: Not Applicable					
Ambient Air Quality Monitoring Report				Report No. AB/PSC/10/2025-26/474	
Client Details Name & Address: M/s. Privi Speciality Chemicals Ltd., (Unit-I) Plot No.A-7, MIDC Mahad Dist-Raigad-402309, Maharashtra, India		Sample Code		AB/PSC/10/2025-26/474	
		Sample Name /Location		(A6) Solvent Tank Farm	
		Sample Type		Ambient Air	
		Method of Sampling		IS:5182 &CPCB Manual-(NAAQMS 36/2012-13)	
		Sample Collected By		Aavanira Biotech Pvt. Ltd.,	
		Sample Collected On		11/09/2025	
		Sample Received on Date		12/09/2025	
		Sample Condition / Description		Liquids of 30 ml in Sealed & intact plastic Containers, Filter Papers in sealed case.	
		Analysis Date		12/09/2025 to 18/09/2025	
		Analysis Done At		Aavanira Biotech Pvt Ltd	
		Reporting Date		18/09/2025	
Sample returned /stored		Stored at 4°C for 1 week from the date of reporting			
Instrument Details		Ambient Fine Dust Sampler, AB/Tech/Instr/133 Calibrated on -18/04/2025 Due On-17/04/2026			
Ambient Temperature		32.5 ^o C	Relative Humidity(RH)		48 %
Sampling Duration		24 Hrs.			
Time of Sampling		12:50 p.m. to 12:50 p.m.			
Sr. No.	Parameter	Results	Units	NAAQ Standards	Standard Method
1.	Particulate Matter (PM ₁₀)	72.28	µg/m ³	≤ 100	IS 5182 Part 23 : 2006 (R.A.:2022)
2.	Particulate Matter (PM _{2.5})	28.41	µg/m ³	≤ 60	IS 5182 Part 24 : 2019(R.A.:2024)
3.	Sulphur Dioxide (SO ₂)	23.5	µg/m ³	≤ 80	IS 5182 Part 2 : 2001 (R.A.:2023)
4.	Oxides of Nitrogen (NO _x)	25.8	µg/m ³	≤ 80	IS 5182 Part 6 : 2006 (R.A.:2022)
5.	Ozone (O ₃)	16.0	µg/m ³	≤ 180 (1 Hr.)	IS: 5182 Part 9 : 1974 (R.A.:2024)
6.	Lead (Pb)	BDL[D.L.=0.1]	µg/m ³	≤ 1.0	SOP No. AB/TECH/CHM/SOP/A/07
7.	Carbon Monoxide (CO)	1.82	mg/m ³	≤ 04 (1 Hr.)	IS 5182 Part 10 : 1999(R.A.:2024)
8.	Ammonia (NH ₃)	13.6	µg/m ³	≤ 400	IS 5182 Part 25 : 2018
9.	Benzene (C ₆ H ₆)	BDL[D.L.=0.02]	µg/m ³	≤ 05 (Annual)	IS 5182 Part 11 : 2006 (R.A.:2022)
10.	Benzo(a)Pyrene (BaP)	BDL[D.L.=0.001]	ng/m ³	≤ 01(Annual)	IS 5182 Part 12 :2004 (R.A.:2019)
11.	Arsenic (As)	BDL[D.L.=0.1]	ng/m ³	≤ 06 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07
12.	Nickel (Ni)	BDL[D.L.=0.1]	ng/m ³	≤ 20 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07

BDL: Below Detection Limit.

Statement of Conformity: The above mentioned test results are complies with prescribed National Ambient Air Quality Standards (NAAQS: 2009) limits.

Verified & Reviewed by- Quality Manager

i) Results relate only to the items tested.

ii) Report shall not be reported except in full without approval of the laboratory.



Authorized by - TM (Chem.)

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India
ISO 9001: 2015 and ISO 45001: 2018 Certified Company

ENalyze*

ULR No.: Not Applicable					
Ambient Air Quality Monitoring Report				Report No. AB/PSC/11/2025-26/454	
Client Details Name & Address: M/s. Privi Speciality Chemicals Ltd., (Unit-I) Plot No.A-7, MIDC Mahad Dist-Raigad-402309, Maharashtra, India		Sample Code		AB/PSC/11/2025-26/454	
		Sample Name /Location		(A4) Near Main Gate	
		Sample Type		Ambient Air	
		Method of Sampling		IS:5182 &CPCB Manual-(NAAQMS 36/2012-13)	
		Sample Collected By		Aavanira Biotech Pvt. Ltd.,	
		Sample Collected On		16/11/2025	
		Sample Received on Date		18/11/2025	
		Sample Condition / Description		Liquids of 30 ml in Sealed & intact plastic Containers, Filter Papers in sealed case.	
		Analysis Date		18/11/2025 to 22/11/2025	
		Analysis Done At		Aavanira Biotech Pvt Ltd	
		Reporting Date		22/11/2025	
Sample returned /stored		Stored at 4°C for 1 week from the date of reporting			
Instrument Details		Ambient Fine Dust Sampler, AB/Tech/Instr/121 Calibrated on –18/04/2025 Due On–17/04/2026			
Ambient Temperature		31.0°C	Relative Humidity(RH)	58 %	
Sampling Duration		24 Hrs.			
Time of Sampling		11:30 a.m. to 11:30 a.m.			
Sr. No.	Parameter	Results	Units	NAAQ Standards	Standard Method
1.	Particulate Matter (PM ₁₀)	79.82	µg/m ³	≤ 100	IS 5182 Part 23 : 2006 (R.A.:2022)
2.	Particulate Matter (PM _{2.5})	35.64	µg/m ³	≤ 60	IS 5182 Part 24 : 2019(R.A.:2024)
3.	Sulphur Dioxide (SO ₂)	28.0	µg/m ³	≤ 80	IS 5182 Part 2 : 2001 (R.A.:2023)
4.	Oxides of Nitrogen (NOx)	29.4	µg/m ³	≤ 80	IS 5182 Part 6 : 2006 (R.A.:2022)
5.	Ozone (O ₃)	15.0	µg/m ³	≤ 180 (1 Hr.)	IS: 5182 Part 9 : 1974 (R.A.:2024)
6.	Lead (Pb)	BDL[D.L.=0.1]	µg/m ³	≤ 1.0	SOP No. AB/TECH/CHM/SOP/A/07
7.	Carbon Monoxide (CO)	1.82	mg/m ³	≤ 04 (1 Hr.)	IS 5182 Part 10 : 1999(R.A.:2024)
8.	Ammonia (NH ₃)	15.0	µg/m ³	≤ 400	IS 5182 Part 25 : 2018
9.	Benzene (C ₆ H ₆)	BDL[D.L.=0.02]	µg/m ³	≤ 05 (Annual)	IS 5182 Part 11 : 2006 (R.A.:2022)
10.	Benzo(a)Pyrene (BaP)	BDL[D.L.=0.001]	ng/m ³	≤ 01(Annual)	IS 5182 Part 12 :2004 (R.A.:2019)
11.	Arsenic (As)	BDL[D.L.=0.1]	ng/m ³	≤ 06 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07
12.	Nickel (Ni)	BDL[D.L.=0.1]	ng/m ³	≤ 20 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07

BDL: Below Detection Limit.

Statement of Conformity: The above mentioned test results are complies with prescribed National Ambient Air Quality Standards (NAAQS: 2009) limits.

Verified & Reviewed by- Quality Manager

i) Results relate only to the items tested.

ii) Report shall not be reported except in full without approval of the laboratory.



Authorized by - TM (Chem.)

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India
ISO 9001: 2015 and ISO 45001: 2018 Certified Company

ENalyze*

ULR No.: Not Applicable					
Ambient Air Quality Monitoring Report				Report No. AB/PSC/11/2025-26/455	
Client Details Name & Address: M/s. Privi Speciality Chemicals Ltd., (Unit-I) Plot No.A-7, MIDC Mahad Dist-Raigad-402309, Maharashtra, India		Sample Code		AB/PSC/11/2025-26/455	
		Sample Name /Location		(A5) Near N ₂ Plant North Side	
		Sample Type		Ambient Air	
		Method of Sampling		IS:5182 &CPCB Manual-(NAAQMS 36/2012-13)	
		Sample Collected By		Aavanira Biotech Pvt. Ltd.,	
		Sample Collected On		16/11/2025	
		Sample Received on Date		18/11/2025	
		Sample Condition / Description		Liquids of 30 ml in Sealed & intact plastic Containers, Filter Papers in sealed case.	
		Analysis Date		18/11/2025 to 22/11/2025	
		Analysis Done At		Aavanira Biotech Pvt Ltd	
		Reporting Date		22/11/2025	
Sample returned /stored		Stored at 4°C for 1 week from the date of reporting			
Instrument Details		Ambient Fine Dust Sampler, AB/Tech/Instr/132 Calibrated on –18/04/2025 Due On–17/04/2026			
Ambient Temperature		31.8 ^o C	Relative Humidity(RH)	52 %	
Sampling Duration		24 Hrs.			
Time of Sampling		11:50 a.m. to 11:50 a.m.			
Sr. No.	Parameter	Results	Units	NAAQ Standards	Standard Method
1.	Particulate Matter (PM ₁₀)	79.92	µg/m ³	≤ 100	IS 5182 Part 23 : 2006 (R.A.:2022)
2.	Particulate Matter (PM _{2.5})	35.15	µg/m ³	≤ 60	IS 5182 Part 24 : 2019(R.A.:2024)
3.	Sulphur Dioxide (SO ₂)	28.4	µg/m ³	≤ 80	IS 5182 Part 2 : 2001 (R.A.:2023)
4.	Oxides of Nitrogen (NOx)	29.8	µg/m ³	≤ 80	IS 5182 Part 6 : 2006 (R.A.:2022)
5.	Ozone (O ₃)	15.2	µg/m ³	≤ 180 (1 Hr.)	IS: 5182 Part 9 : 1974 (R.A.:2024)
6.	Lead (Pb)	BDL[D.L.=0.1]	µg/m ³	≤ 1.0	SOP No. AB/TECH/CHM/SOP/A/07
7.	Carbon Monoxide (CO)	1.82	mg/m ³	≤ 04 (1 Hr.)	IS 5182 Part 10 : 1999(R.A.:2024)
8.	Ammonia (NH ₃)	14.0	µg/m ³	≤ 400	IS 5182 Part 25 : 2018
9.	Benzene (C ₆ H ₆)	BDL[D.L.=0.02]	µg/m ³	≤ 05 (Annual)	IS 5182 Part 11 : 2006 (R.A.:2022)
10.	Benzo(a)Pyrene (BaP)	BDL[D.L.=0.001]	ng/m ³	≤ 01(Annual)	IS 5182 Part 12 :2004 (R.A.:2019)
11.	Arsenic (As)	BDL[D.L.=0.1]	ng/m ³	≤ 06 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07
12.	Nickel (Ni)	BDL[D.L.=0.1]	ng/m ³	≤ 20 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07

BDL: Below Detection Limit.

Statement of Conformity: The above mentioned test results are complies with prescribed National Ambient Air Quality Standards (NAAQS: 2009) limits.

Verified & Reviewed by- Quality Manager

i) Results relate only to the items tested.

ii) Report shall not be reported except in full without approval of the laboratory.



Authorized by - TM (Chem.)

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India
ISO 9001: 2015 and ISO 45001: 2018 Certified Company

ENalyze*

ULR No.: Not Applicable					
Ambient Air Quality Monitoring Report				Report No. AB/PSC/11/2025-26/456	
Client Details Name & Address: M/s. Privi Speciality Chemicals Ltd., (Unit-I) Plot No.A-7, MIDC Mahad Dist-Raigad-402309, Maharashtra, India		Sample Code		AB/PSC/11/2025-26/456	
		Sample Name /Location		(A6) Solvent Tank Farm	
		Sample Type		Ambient Air	
		Method of Sampling		IS:5182 &CPCB Manual-(NAAQMS 36/2012-13)	
		Sample Collected By		Aavanira Biotech Pvt. Ltd.,	
		Sample Collected On		16/11/2025	
		Sample Received on Date		18/11/2025	
		Sample Condition / Description		Liquids of 30 ml in Sealed & intact plastic Containers, Filter Papers in sealed case.	
		Analysis Date		18/11/2025 to 22/11/2025	
		Analysis Done At		Aavanira Biotech Pvt Ltd	
		Reporting Date		22/11/2025	
Sample returned /stored		Stored at 4°C for 1 week from the date of reporting			
Instrument Details		Ambient Fine Dust Sampler, AB/Tech/Instr/133 Calibrated on –18/04/2025 Due On–17/04/2026			
Ambient Temperature		31.2°C	Relative Humidity(RH)	58 %	
Sampling Duration		24 Hrs.			
Time of Sampling		12:15 p.m. to 12:15 p.m.			
Sr. No.	Parameter	Results	Units	NAAQ Standards	Standard Method
1.	Particulate Matter (PM ₁₀)	78.40	µg/m ³	≤ 100	IS 5182 Part 23 : 2006 (R.A.:2022)
2.	Particulate Matter (PM _{2.5})	30.28	µg/m ³	≤ 60	IS 5182 Part 24 : 2019(R.A.:2024)
3.	Sulphur Dioxide (SO ₂)	25.8	µg/m ³	≤ 80	IS 5182 Part 2 : 2001 (R.A.:2023)
4.	Oxides of Nitrogen (NOx)	27.6	µg/m ³	≤ 80	IS 5182 Part 6 : 2006 (R.A.:2022)
5.	Ozone (O ₃)	15.3	µg/m ³	≤ 180 (1 Hr.)	IS: 5182 Part 9 : 1974 (R.A.:2024)
6.	Lead (Pb)	BDL[D.L.=0.1]	µg/m ³	≤ 1.0	SOP No. AB/TECH/CHM/SOP/A/07
7.	Carbon Monoxide (CO)	1.78	mg/m ³	≤ 04 (1 Hr.)	IS 5182 Part 10 : 1999(R.A.:2024)
8.	Ammonia (NH ₃)	19.2	µg/m ³	≤ 400	IS 5182 Part 25 : 2018
9.	Benzene (C ₆ H ₆)	BDL[D.L.=0.02]	µg/m ³	≤ 05 (Annual)	IS 5182 Part 11 : 2006 (R.A.:2022)
10.	Benzo(a)Pyrene (BaP)	BDL[D.L.=0.001]	ng/m ³	≤ 01(Annual)	IS 5182 Part 12 :2004 (R.A.:2019)
11.	Arsenic (As)	BDL[D.L.=0.1]	ng/m ³	≤ 06 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07
12.	Nickel (Ni)	BDL[D.L.=0.1]	ng/m ³	≤ 20 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07

BDL: Below Detection Limit.

Statement of Conformity: The above mentioned test results are complies with prescribed National Ambient Air Quality Standards (NAAQS: 2009) limits.

Verified & Reviewed by- Quality Manager

i) Results relate only to the items tested.

ii) Report shall not be reported except in full without approval of the laboratory.



Authorized by - TM (Chem.)

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India
ISO 9001: 2015 and ISO 45001: 2018 Certified Company

ENalyse*

ULR No.: Not Applicable					
Ambient Air Quality Monitoring Report				Report No.AB/PSC/12/2025-26/527	
Client Details Name & Address: M/s. Privi Speciality Chemicals Ltd., (Unit-I) Plot No.A-7, MIDC Mahad Dist-Raigad-402309, Maharashtra, India		Sample Code		AB/PSC/12/2025-26/527	
		Sample Name /Location		(A4) Near Main Gate	
		Sample Type		Ambient Air	
		Method of Sampling		IS:5182 &CPCB Manual-(NAAQMS 36/2012-13)	
		Sample Collected By		Aavanira Biotech Pvt. Ltd.,	
		Sample Collected On		25/12/2025	
		Sample Received on Date		27/12/2025	
		Sample Condition / Description		Liquids of 30 ml in Sealed & intact plastic Containers, Filter Papers in sealed case.	
		Analysis Date		27/12/2025 to 31/12/2025	
		Analysis Done At		Aavanira Biotech Pvt Ltd	
Reporting Date		31/12/2025			
Sample returned /stored		Stored at 4°C for 1 week from the date of reporting			
Instrument Details		Ambient Fine Dust Sampler, AB/Tech/Instr/121 Calibrated on –18/04/2025 Due On–17/04/2026			
Ambient Temperature		29.2 ⁰ C	Relative Humidity(RH)	45 %	
Sampling Duration		24 Hrs.			
Time of Sampling		11:50 a.m. to 11:50 a.m.			
Sr. No.	Parameter	Results	Units	NAAQ Standards	Standard Method
1.	Particulate Matter (PM ₁₀)	78.95	µg/m ³	≤ 100	IS 5182 Part 23 : 2006 (R.A.:2022)
2.	Particulate Matter (PM _{2.5})	28.70	µg/m ³	≤ 60	IS 5182 Part 24 : 2019(R.A.:2024)
3.	Sulphur Dioxide (SO ₂)	27.8	µg/m ³	≤ 80	IS 5182 Part 2 : 2001 (R.A.:2023)
4.	Oxides of Nitrogen (NOx)	30.2	µg/m ³	≤ 80	IS 5182 Part 6 : 2006 (R.A.:2022)
5.	Ozone (O ₃)	18.0	µg/m ³	≤ 180 (1 Hr.)	IS: 5182 Part 9 : 1974 (R.A.:2024)
6.	Lead (Pb)	BDL[D.L.=0.1]	µg/m ³	≤ 1.0	SOP No. AB/TECH/CHM/SOP/A/07
7.	Carbon Monoxide (CO)	1.92	mg/m ³	≤ 04 (1 Hr.)	IS 5182 Part 10 : 1999(R.A.:2024)
8.	Ammonia (NH ₃)	18.0	µg/m ³	≤ 400	IS 5182 Part 25 : 2018
9.	Benzene (C ₆ H ₆)	BDL[D.L.=0.02]	µg/m ³	≤ 05 (Annual)	IS 5182 Part 11 : 2006 (R.A.:2022)
10.	Benzo(a)Pyrene (BaP)	BDL[D.L.=0.001]	ng/m ³	≤ 01(Annual)	IS 5182 Part 12 :2004 (R.A.:2019)
11.	Arsenic (As)	BDL[D.L.=0.1]	ng/m ³	≤ 06 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07
12.	Nickel (Ni)	BDL[D.L.=0.1]	ng/m ³	≤ 20 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07


BDL: Below Detection Limit.

Statement of Conformity: The above mentioned test results are complies with prescribed National Ambient Air Quality Standards (NAAQS: 2009) limits.

Verified & Reviewed by- Quality Manager

i) Results relate only to the items tested.

ii) Report shall not be reported except in full without approval of the laboratory.



Authorized by - TM (Chem.)

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India
ISO 9001: 2015 and ISO 45001: 2018 Certified Company

ENalyse*

ULR No.: Not Applicable					
Ambient Air Quality Monitoring Report				Report No.AB/PSC/12/2025-26/528	
Client Details Name & Address: M/s. Privi Speciality Chemicals Ltd., (Unit-I) Plot No.A-7, MIDC Mahad Dist-Raigad-402309, Maharashtra, India		Sample Code		AB/PSC/12/2025-26/528	
		Sample Name /Location		(A5) Near N ₂ Plant North Side	
		Sample Type		Ambient Air	
		Method of Sampling		IS:5182 &CPCB Manual-(NAAQMS 36/2012-13)	
		Sample Collected By		Aavanira Biotech Pvt. Ltd.,	
		Sample Collected On		25/12/2025	
		Sample Received on Date		27/12/2025	
		Sample Condition / Description		Liquids of 30 ml in Sealed & intact plastic Containers, Filter Papers in sealed case.	
		Analysis Date		27/12/2025 to 31/12/2025	
		Analysis Done At		Aavanira Biotech Pvt Ltd	
		Reporting Date		31/12/2025	
Sample returned /stored		Stored at 4°C for 1 week from the date of reporting			
Instrument Details		Ambient Fine Dust Sampler, AB/Tech/Instr/132 Calibrated on -18/04/2025 Due On-17/04/2026			
Ambient Temperature		29.8 ⁰ C	Relative Humidity(RH)	45 %	
Sampling Duration		24 Hrs.			
Time of Sampling		12:25 p.m. to 12:25 p.m.			
Sr. No.	Parameter	Results	Units	NAAQ Standards	Standard Method
1.	Particulate Matter (PM ₁₀)	76.25	µg/m ³	≤ 100	IS 5182 Part 23 : 2006 (R.A.:2022)
2.	Particulate Matter (PM _{2.5})	29.81	µg/m ³	≤ 60	IS 5182 Part 24 : 2019(R.A.:2024)
3.	Sulphur Dioxide (SO ₂)	25.8	µg/m ³	≤ 80	IS 5182 Part 2 : 2001 (R.A.:2023)
4.	Oxides of Nitrogen (NOx)	29.4	µg/m ³	≤ 80	IS 5182 Part 6 : 2006 (R.A.:2022)
5.	Ozone (O ₃)	16.2	µg/m ³	≤ 180 (1 Hr.)	IS: 5182 Part 9 : 1974 (R.A.:2024)
6.	Lead (Pb)	BDL[D.L.=0.1]	µg/m ³	≤ 1.0	SOP No. AB/TECH/CHM/SOP/A/07
7.	Carbon Monoxide (CO)	1.90	mg/m ³	≤ 04 (1 Hr.)	IS 5182 Part 10 : 1999(R.A.:2024)
8.	Ammonia (NH ₃)	18.0	µg/m ³	≤ 400	IS 5182 Part 25 : 2018
9.	Benzene (C ₆ H ₆)	BDL[D.L.=0.02]	µg/m ³	≤ 05 (Annual)	IS 5182 Part 11 : 2006 (R.A.:2022)
10.	Benzo(a)Pyrene (BaP)	BDL[D.L.=0.001]	ng/m ³	≤ 01(Annual)	IS 5182 Part 12 :2004 (R.A.:2019)
11.	Arsenic (As)	BDL[D.L.=0.1]	ng/m ³	≤ 06 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07
12.	Nickel (Ni)	BDL[D.L.=0.1]	ng/m ³	≤ 20 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07

BDL: Below Detection Limit.

Statement of Conformity: The above mentioned test results are complies with prescribed National Ambient Air Quality Standards (NAAQS: 2009) limits.

Verified & Reviewed by- Quality Manager

i) Results relate only to the items tested.

ii) Report shall not be reported except in full without approval of the laboratory.



Authorized by - TM (Chem.)

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India
ISO 9001: 2015 and ISO 45001: 2018 Certified Company

ENalyse*

ULR No.: Not Applicable					
Ambient Air Quality Monitoring Report				Report No.AB/PSC/12/2025-26/529	
Client Details Name & Address: M/s. Privi Speciality Chemicals Ltd., (Unit-I) Plot No.A-7, MIDC Mahad Dist-Raigad-402309, Maharashtra, India		Sample Code		AB/PSC/12/2025-26/529	
		Sample Name /Location		(A6) Solvent Tank Farm	
		Sample Type		Ambient Air	
		Method of Sampling		IS:5182 &CPCB Manual-(NAAQMS 36/2012-13)	
		Sample Collected By		Aavanira Biotech Pvt. Ltd.,	
		Sample Collected On		25/12/2025	
		Sample Received on Date		27/12/2025	
		Sample Condition / Description		Liquids of 30 ml in Sealed & intact plastic Containers, Filter Papers in sealed case.	
		Analysis Date		27/12/2025 to 31/12/2025	
		Analysis Done At		Aavanira Biotech Pvt Ltd	
		Reporting Date		31/12/2025	
Sample returned /stored		Stored at 4°C for 1 week from the date of reporting			
Instrument Details		Ambient Fine Dust Sampler, AB/Tech/Instr/133 Calibrated on -18/04/2025 Due On-17/04/2026			
Ambient Temperature		29.2 ⁰ C	Relative Humidity(RH)	48 %	
Sampling Duration		24 Hrs.			
Time of Sampling		12:55 p.m. to 12:55 p.m.			
Sr. No.	Parameter	Results	Units	NAAQ Standards	Standard Method
1.	Particulate Matter (PM ₁₀)	80.35	µg/m ³	≤ 100	IS 5182 Part 23 : 2006 (R.A.:2022)
2.	Particulate Matter (PM _{2.5})	31.71	µg/m ³	≤ 60	IS 5182 Part 24 : 2019(R.A.:2024)
3.	Sulphur Dioxide (SO ₂)	26.8	µg/m ³	≤ 80	IS 5182 Part 2 : 2001 (R.A.:2023)
4.	Oxides of Nitrogen (NOx)	29.2	µg/m ³	≤ 80	IS 5182 Part 6 : 2006 (R.A.:2022)
5.	Ozone (O ₃)	18.2	µg/m ³	≤ 180 (1 Hr.)	IS: 5182 Part 9 : 1974 (R.A.:2024)
6.	Lead (Pb)	BDL[D.L.=0.1]	µg/m ³	≤ 1.0	SOP No. AB/TECH/CHM/SOP/A/07
7.	Carbon Monoxide (CO)	1.95	mg/m ³	≤ 04 (1 Hr.)	IS 5182 Part 10 : 1999(R.A.:2024)
8.	Ammonia (NH ₃)	16.2	µg/m ³	≤ 400	IS 5182 Part 25 : 2018
9.	Benzene (C ₆ H ₆)	BDL[D.L.=0.02]	µg/m ³	≤ 05 (Annual)	IS 5182 Part 11 : 2006 (R.A.:2022)
10.	Benzo(a)Pyrene (BaP)	BDL[D.L.=0.001]	ng/m ³	≤ 01(Annual)	IS 5182 Part 12 :2004 (R.A.:2019)
11.	Arsenic (As)	BDL[D.L.=0.1]	ng/m ³	≤ 06 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07
12.	Nickel (Ni)	BDL[D.L.=0.1]	ng/m ³	≤ 20 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07


BDL: Below Detection Limit.

Statement of Conformity: The above mentioned test results are complies with prescribed National Ambient Air Quality Standards (NAAQS: 2009) limits.

Verified & Reviewed by- Quality Manager

i) Results relate only to the items tested.

ii) Report shall not be reported except in full without approval of the laboratory.



Authorized by – TM (Chem.)

ENalyze*

ULR No.: Not Applicable					
Ambient Air Quality Monitoring Report				Report No.AB/PSC/01/2025-26/583	
Client Details Name & Address: M/s. Privi Speciality Chemicals Ltd., (Unit-I) Plot No.A-7, MIDC Mahad Dist-Raigad-402309, Maharashtra, India		Sample Code		AB/PSC/01/2025-26/583	
		Sample Name /Location		(A6) Solvent Tank Farm	
		Sample Type		Ambient Air	
		Method of Sampling		IS:5182 &CPCB Manual-(NAAQMS 36/2012-13)	
		Sample Collected By		Aavanira Biotech Pvt. Ltd.,	
		Sample Collected On		30/01/2026	
		Sample Received on Date		31/01/2026	
		Sample Condition / Description		Liquids of 30 ml in Sealed & intact plastic Containers, Filter Papers in sealed case.	
		Analysis Date		31/01/2026 to 04/02/2026	
		Analysis Done At		Aavanira Biotech Pvt Ltd	
		Reporting Date		04/02/2026	
Sample returned /stored		Stored at 4°C for 1 week from the date of reporting			
Instrument Details		Ambient Fine Dust Sampler, AB/Tech/Instr/133 Calibrated on -18/04/2025 Due On-17/04/2026			
Ambient Temperature		29.2 ^o C	Relative Humidity(RH)	48 %	
Sampling Duration		24 Hrs.			
Time of Sampling		12:55 p.m. to 12:55 p.m.			
Sr. No.	Parameter	Results	Units	NAAQ Standards	Standard Method
1.	Particulate Matter (PM ₁₀)	82.12	µg/m ³	≤ 100	IS 5182 Part 23 : 2006 (R.A.:2022)
2.	Particulate Matter (PM _{2.5})	33.24	µg/m ³	≤ 60	IS 5182 Part 24 : 2019(R.A.:2024)
3.	Sulphur Dioxide (SO ₂)	28.6	µg/m ³	≤ 80	IS 5182 Part 2 : 2001 (R.A.:2023)
4.	Oxides of Nitrogen (NOx)	29.4	µg/m ³	≤ 80	IS 5182 Part 6 : 2006 (R.A.:2022)
5.	Ozone (O ₃)	18.6	µg/m ³	≤ 180 (1 Hr.)	IS: 5182 Part 9 : 1974 (R.A.:2024)
6.	Lead (Pb)	BDL[D.L.=0.1]	µg/m ³	≤ 1.0	SOP No. AB/TECH/CHM/SOP/A/07
7.	Carbon Monoxide (CO)	1.98	mg/m ³	≤ 04 (1 Hr.)	IS 5182 Part 10 : 1999(R.A.:2024)
8.	Ammonia (NH ₃)	16.8	µg/m ³	≤ 400	IS 5182 Part 25 : 2018
9.	Benzene (C ₆ H ₆)	BDL[D.L.=0.02]	µg/m ³	≤ 05 (Annual)	IS 5182 Part 11 : 2006 (R.A.:2022)
10.	Benzo(a)Pyrene (BaP)	BDL[D.L.=0.001]	ng/m ³	≤ 01(Annual)	IS 5182 Part 12 :2004 (R.A.:2019)
11.	Arsenic (As)	BDL[D.L.=0.1]	ng/m ³	≤ 06 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07
12.	Nickel (Ni)	BDL[D.L.=0.1]	ng/m ³	≤ 20 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07

BDL: Below Detection Limit.

Statement of Conformity: The above mentioned test results are complies with prescribed National Ambient Air Quality Standards (NAAQS: 2009) limits.

Verified & Reviewed by- Quality Manager

i) Results relate only to the items tested.

ii) Report shall not be reported except in full without approval of the laboratory.



Authorized by - TM (Chem.)

ULR No.: Not Applicable					
Ambient Air Quality Monitoring Report					
Report No. AB/PSC/01/2025-26/582					
Client Details Name & Address: M/s. Privi Speciality Chemicals Ltd., (Unit-I) Plot No.A-7, MIDC Mahad Dist-Raigad-402309, Maharashtra, India	Sample Code		AB/PSC/01/2025-26/582		
	Sample Name /Location		(A5) Near N ₂ Plant North Side		
	Sample Type		Ambient Air		
	Method of Sampling		IS:5182 & CPCB Manual-(NAAQMS 36/2012-13)		
	Sample Collected By		Aavanira Biotech Pvt. Ltd.,		
	Sample Collected On		30/01/2026		
	Sample Received on Date		31/01/2026		
	Sample Condition / Description		Liquids of 30 ml in Sealed & intact plastic Containers, Filter Papers in sealed case.		
	Analysis Date		31/01/2026 to 04/02/2026		
	Analysis Done At		Aavanira Biotech Pvt Ltd		
	Reporting Date		04/02/2026		
	Sample returned /stored		Stored at 4°C for 1 week from the date of reporting		
Instrument Details		Ambient Fine Dust Sampler, AB/Tech/Instr/132 Calibrated on -18/04/2025 Due On-17/04/2026			
Ambient Temperature		29.8°C	Relative Humidity(RH)		45 %
Sampling Duration		24 Hrs.			
Time of Sampling		12:25 p.m. to 12:25 p.m.			
Sr. No.	Parameter	Results	Units	NAAQ Standards	Standard Method
1.	Particulate Matter (PM ₁₀)	78.62	µg/m ³	≤ 100	IS 5182 Part 23 : 2006 (R.A.:2022)
2.	Particulate Matter (PM _{2.5})	30.18	µg/m ³	≤ 60	IS 5182 Part 24 : 2019(R.A.:2024)
3.	Sulphur Dioxide (SO ₂)	26.2	µg/m ³	≤ 80	IS 5182 Part 2 : 2001 (R.A.:2023)
4.	Oxides of Nitrogen (NO _x)	31.6	µg/m ³	≤ 80	IS 5182 Part 6 : 2006 (R.A.:2022)
5.	Ozone (O ₃)	16.8	µg/m ³	≤ 180 (1 Hr.)	IS: 5182 Part 9 : 1974 (R.A.:2024)
6.	Lead (Pb)	BDL[D.L.=0.1]	µg/m ³	≤ 1.0	SOP No. AB/TECH/CHM/SOP/A/07
7.	Carbon Monoxide (CO)	1.94	mg/m ³	≤ 04 (1 Hr.)	IS 5182 Part 10 : 1999(R.A.:2024)
8.	Ammonia (NH ₃)	20.0	µg/m ³	≤ 400	IS 5182 Part 25 : 2018
9.	Benzene (C ₆ H ₆)	BDL[D.L.=0.02]	µg/m ³	≤ 05 (Annual)	IS 5182 Part 11 : 2006 (R.A.:2022)
10.	Benzo(a)Pyrene (BaP)	BDL[D.L.=0.001]	ng/m ³	≤ 01(Annual)	IS 5182 Part 12 :2004 (R.A.:2019)
11.	Arsenic (As)	BDL[D.L.=0.1]	ng/m ³	≤ 06 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07
12.	Nickel (Ni)	BDL[D.L.=0.1]	ng/m ³	≤ 20 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07

BDL: Below Detection Limit.

Statement of Conformity: The above mentioned test results are complies with prescribed National Ambient Air Quality Standards (NAAQS: 2009) limits.

Verified & Reviewed by- Quality Manager

i) Results relate only to the items tested.

ii) Report shall not be reported except in full without approval of the laboratory.



Authorized by - TM (Chem.)

Aavanira Biotech (P) Ltd. Kinetic Innovation Park, D-1 Block, Plot No. - 18/1 Part,

MIDC Chinchwad, Pune - 411 019. Maharashtra, India.

■ Tel.: 8308805200 / 8446000118, ■ E-mail: info@aavanira.com, ■ Web : www.aavanira.com

CIN NO. U74900PN2010PTC137544



Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India
ISO 9001: 2015 and ISO 45001: 2018 Certified Company

ENalyze*

ULR No.: Not Applicable					
Ambient Air Quality Monitoring Report				Report No.AB/PSC/01/2025-26/581	
Client Details Name & Address: M/s. Privi Speciality Chemicals Ltd., (Unit-I) Plot No.A-7, MIDC Mahad Dist-Raigad-402309, Maharashtra, India		Sample Code		AB/PSC/01/2025-26/581	
		Sample Name /Location		(A4) Near Main Gate	
		Sample Type		Ambient Air	
		Method of Sampling		IS:5182 &CPCB Manual-(NAAQMS 36/2012-13)	
		Sample Collected By		Aavanira Biotech Pvt. Ltd.,	
		Sample Collected On		30/01/2026	
		Sample Received on Date		31/01/2026	
		Sample Condition / Description		Liquids of 30 ml in Sealed & intact plastic Containers, Filter Papers in sealed case.	
		Analysis Date		31/01/2026 to 04/02/2026	
		Analysis Done At		Aavanira Biotech Pvt Ltd	
		Reporting Date		04/02/2026	
Sample returned /stored		Stored at 4°C for 1 week from the date of reporting			
Instrument Details		Ambient Fine Dust Sampler, AB/Tech/Instr/121 Calibrated on –18/04/2025 Due On–17/04/2026			
Ambient Temperature		29.2 ^o C	Relative Humidity(RH)	45 %	
Sampling Duration		24 Hrs.			
Time of Sampling		11:50 a.m. to 11:50 a.m.			
Sr. No.	Parameter	Results	Units	NAAQ Standards	Standard Method
1.	Particulate Matter (PM ₁₀)	81.23	µg/m ³	≤ 100	IS 5182 Part 23 : 2006 (R.A.:2022)
2.	Particulate Matter (PM _{2.5})	30.16	µg/m ³	≤ 60	IS 5182 Part 24 : 2019(R.A.:2024)
3.	Sulphur Dioxide (SO ₂)	28.4	µg/m ³	≤ 80	IS 5182 Part 2 : 2001 (R.A.:2023)
4.	Oxides of Nitrogen (NOx)	31.6	µg/m ³	≤ 80	IS 5182 Part 6 : 2006 (R.A.:2022)
5.	Ozone (O ₃)	19.2	µg/m ³	≤ 180 (1 Hr.)	IS: 5182 Part 9 : 1974 (R.A.:2024)
6.	Lead (Pb)	BDL[D.L.=0.1]	µg/m ³	≤ 1.0	SOP No. AB/TECH/CHM/SOP/A/07
7.	Carbon Monoxide (CO)	1.98	mg/m ³	≤ 04 (1 Hr.)	IS 5182 Part 10 : 1999(R.A.:2024)
8.	Ammonia (NH ₃)	18.4	µg/m ³	≤ 400	IS 5182 Part 25 : 2018
9.	Benzene (C ₆ H ₆)	BDL[D.L.=0.02]	µg/m ³	≤ 05 (Annual)	IS 5182 Part 11 : 2006 (R.A.:2022)
10.	Benzo(a)Pyrene (BaP)	BDL[D.L.=0.001]	ng/m ³	≤ 01(Annual)	IS 5182 Part 12 :2004 (R.A.:2019)
11.	Arsenic (As)	BDL[D.L.=0.1]	ng/m ³	≤ 06 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07
12.	Nickel (Ni)	BDL[D.L.=0.1]	ng/m ³	≤ 20 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07


BDL: Below Detection Limit.

Statement of Conformity: The above mentioned test results are complies with prescribed National Ambient Air Quality Standards (NAAQS: 2009) limits.

Verified & Reviewed by- Quality Manager

i) Results relate only to the items tested.

ii) Report shall not be reported except in full without approval of the laboratory.



Authorized by - TM (Chem.)

ENalyze*

ULR No.: Not Applicable					
Ambient Air Quality Monitoring Report				Report No. AB/PSC/02/2025-26/691	
Client Details Name & Address: M/s. Privi Speciality Chemicals Ltd., (Unit-I) Plot No.A-7, MIDC Mahad Dist-Raigad-402309, Maharashtra, India		Sample Code		AB/PSC/02/2025-26/691	
		Sample Name /Location		(A4) Near Main Gate	
		Sample Type		Ambient Air	
		Method of Sampling		IS:5182 &CPCB Manual-(NAAQMS 36/2012-13)	
		Sample Collected By		Aavanira Biotech Pvt. Ltd.,	
		Sample Collected On		27/02/2026	
		Sample Received on Date		02/03/2026	
		Sample Condition / Description		Liquids of 30 ml in Sealed & intact plastic Containers, Filter Papers in sealed case.	
		Analysis Date		02/03/2026 to 06/03/2026	
		Analysis Done At		Aavanira Biotech Pvt Ltd	
Reporting Date		06/03/2026			
Sample returned /stored		Stored at 4°C for 1 week from the date of reporting			
Instrument Details		Ambient Fine Dust Sampler, AB/Tech/Instr/121 Calibrated on -18/04/2025 Due On-17/04/2026			
Ambient Temperature		31.0°C	Relative Humidity(RH)	58 %	
Sampling Duration		24 Hrs.			
Time of Sampling		11:30 a.m. to 11:30 a.m.			
Sr. No.	Parameter	Results	Units	NAAQ Standards	Standard Method
1.	Particulate Matter (PM ₁₀)	81.32	µg/m ³	≤ 100	IS 5182 Part 23 : 2006 (R.A.:2022)
2.	Particulate Matter (PM _{2.5})	37.84	µg/m ³	≤ 60	IS 5182 Part 24 : 2019(R.A.:2024)
3.	Sulphur Dioxide (SO ₂)	29.4	µg/m ³	≤ 80	IS 5182 Part 2 : 2001 (R.A.:2023)
4.	Oxides of Nitrogen (NO _x)	29.8	µg/m ³	≤ 80	IS 5182 Part 6 : 2006 (R.A.:2022)
5.	Ozone (O ₃)	15.4	µg/m ³	≤ 180 (1 Hr.)	IS: 5182 Part 9 : 1974 (R.A.:2024)
6.	Lead (Pb)	BDL[D.L.=0.1]	µg/m ³	≤ 1.0	SOP No. AB/TECH/CHM/SOP/A/07
7.	Carbon Monoxide (CO)	1.86	mg/m ³	≤ 04 (1 Hr.)	IS 5182 Part 10 : 1999(R.A.:2024)
8.	Ammonia (NH ₃)	15.4	µg/m ³	≤ 400	IS 5182 Part 25 : 2018
9.	Benzene (C ₆ H ₆)	BDL[D.L.=0.02]	µg/m ³	≤ 05 (Annual)	IS 5182 Part 11 : 2006 (R.A.:2022)
10.	Benzo(a)Pyrene (BaP)	BDL[D.L.=0.001]	ng/m ³	≤ 01(Annual)	IS 5182 Part 12 :2004 (R.A.:2019)
11.	Arsenic (As)	BDL[D.L.=0.1]	ng/m ³	≤ 06 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07
12.	Nickel (Ni)	BDL[D.L.=0.1]	ng/m ³	≤ 20 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07

BDL: Below Detection Limit.

Statement of Conformity: The above mentioned test results are complies with prescribed National Ambient Air Quality Standards (NAAQS: 2009) limits.

Verified & Reviewed by- Quality Manager

i) Results relate only to the items tested.

ii) Report shall not be reported except in full without approval of the laboratory.



Authorized by - TM (Chem.)

ENalyse*

ULR No.: Not Applicable

Ambient Air Quality Monitoring Report

Report No. AB/PSC/02/2025-26/692

Client Details Name & Address:
M/s. Privi Speciality Chemicals
Ltd., (Unit-I)
Plot No.A-7, MIDC Mahad
Dist-Raigad-402309,
Maharashtra, India

Sample Code	AB/PSC/02/2025-26/692
Sample Name /Location	(A5) Near N ₂ Plant North Side
Sample Type	Ambient Air
Method of Sampling	IS:5182 &CPCB Manual-(NAAQMS 36/2012-13)
Sample Collected By	Aavanira Biotech Pvt. Ltd.,
Sample Collected On	27/02/2026
Sample Received on Date	02/03/2026
Sample Condition / Description	Liquids of 30 ml in Sealed & intact plastic Containers, Filter Papers in sealed case.
Analysis Date	02/03/2026 to 06/03/2026
Analysis Done At	Aavanira Biotech Pvt Ltd
Reporting Date	06/03/2026

Sample returned /stored Stored at 4°C for 1 week from the date of reporting

Instrument Details Ambient Fine Dust Sampler, AB/Tech/Instr/132
Calibrated on -18/04/2025 Due On-17/04/2026

Ambient Temperature 32.4°C **Relative Humidity(RH)** 38 %

Sampling Duration 24 Hrs.

Time of Sampling 11:50 a.m. to 11:50 a.m.

Sr. No.	Parameter	Results	Units	NAAQ Standards	Standard Method
1.	Particulate Matter (PM ₁₀)	84.32	µg/m ³	≤ 100	IS 5182 Part 23 : 2006 (R.A.:2022)
2.	Particulate Matter (PM _{2.5})	38.41	µg/m ³	≤ 60	IS 5182 Part 24 : 2019(R.A.:2024)
3.	Sulphur Dioxide (SO ₂)	30.25	µg/m ³	≤ 80	IS 5182 Part 2 : 2001 (R.A.:2023)
4.	Oxides of Nitrogen (NO _x)	30.1	µg/m ³	≤ 80	IS 5182 Part 6 : 2006 (R.A.:2022)
5.	Ozone (O ₃)	15.9	µg/m ³	≤ 180 (1 Hr.)	IS: 5182 Part 9 : 1974 (R.A.:2024)
6.	Lead (Pb)	BDL[D.L.=0.1]	µg/m ³	≤ 1.0	SOP No. AB/TECH/CHM/SOP/A/07
7.	Carbon Monoxide (CO)	1.94	mg/m ³	≤ 04 (1 Hr.)	IS 5182 Part 10 : 1999(R.A.:2024)
8.	Ammonia (NH ₃)	15.3	µg/m ³	≤ 400	IS 5182 Part 25 : 2018
9.	Benzene (C ₆ H ₆)	BDL[D.L.=0.02]	µg/m ³	≤ 05 (Annual)	IS 5182 Part 11 : 2006 (R.A.:2022)
10.	Benzo(a)Pyrene (BaP)	BDL[D.L.=0.001]	ng/m ³	≤ 01(Annual)	IS 5182 Part 12 :2004 (R.A.:2019)
11.	Arsenic (As)	BDL[D.L.=0.1]	ng/m ³	≤ 06 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07
12.	Nickel (Ni)	BDL[D.L.=0.1]	ng/m ³	≤ 20 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07

BDL: Below Detection Limit.

Statement of Conformity: The above mentioned test results are complies with prescribed National Ambient Air Quality Standards (NAAQS: 2009) limits.

Verified & Reviewed by- Quality Manager

i) Results relate only to the items tested.

ii) Report shall not be reported except in full without approval of the laboratory.



Authorized by - TM (Chem.)

ENalyse*

ULR No.: Not Applicable

Ambient Air Quality Monitoring Report

Report No. AB/PSC/02/2025-26/693

Client Details Name & Address:
M/s. Privi Speciality Chemicals
Ltd., (Unit-I)
Plot No.A-7, MIDC Mahad
Dist-Raigad-402309,
Maharashtra, India

Sample Code	AB/PSC/02/2025-26/693
Sample Name /Location	(A6) Solvent Tank Farm
Sample Type	Ambient Air
Method of Sampling	IS:5182 &CPCB Manual-(NAAQMS 36/2012-13)
Sample Collected By	Aavanira Biotech Pvt. Ltd.,
Sample Collected On	27/02/2026
Sample Received on Date	02/03/2026
Sample Condition / Description	Liquids of 30 ml in Sealed & intact plastic Containers, Filter Papers in sealed case.
Analysis Date	02/03/2026 to 06/03/2026
Analysis Done At	Aavanira Biotech Pvt Ltd
Reporting Date	06/03/2026

Sample returned /stored Stored at 4°C for 1 week from the date of reporting

Instrument Details Ambient Fine Dust Sampler, AB/Tech/Instr/133
Calibrated on -18/04/2025 Due On-17/04/2026

Ambient Temperature 32.3°C Relative Humidity(RH) 38 %

Sampling Duration 24 Hrs.

Time of Sampling 12:15 p.m. to 12:15 p.m.

Sr. No.	Parameter	Results	Units	NAAQ Standards	Standard Method
1.	Particulate Matter (PM ₁₀)	82.65	µg/m ³	≤ 100	IS 5182 Part 23 : 2006 (R.A.:2022)
2.	Particulate Matter (PM _{2.5})	31.24	µg/m ³	≤ 60	IS 5182 Part 24 : 2019(R.A.:2024)
3.	Sulphur Dioxide (SO ₂)	26.4	µg/m ³	≤ 80	IS 5182 Part 2 : 2001 (R.A.:2023)
4.	Oxides of Nitrogen (NO _x)	28.3	µg/m ³	≤ 80	IS 5182 Part 6 : 2006 (R.A.:2022)
5.	Ozone (O ₃)	16.1	µg/m ³	≤ 180 (1 Hr.)	IS: 5182 Part 9 : 1974 (R.A.:2024)
6.	Lead (Pb)	BDL[D.L.=0.1]	µg/m ³	≤ 1.0	SOP No. AB/TECH/CHM/SOP/A/07
7.	Carbon Monoxide (CO)	1.82	mg/m ³	≤ 04 (1 Hr.)	IS 5182 Part 10 : 1999(R.A.:2024)
8.	Ammonia (NH ₃)	19.7	µg/m ³	≤ 400	IS 5182 Part 25 : 2018
9.	Benzene (C ₆ H ₆)	BDL[D.L.=0.02]	µg/m ³	≤ 05 (Annual)	IS 5182 Part 11 : 2006 (R.A.:2022)
10.	Benzo(a)Pyrene (BaP)	BDL[D.L.=0.001]	ng/m ³	≤ 01(Annual)	IS 5182 Part 12 :2004 (R.A.:2019)
11.	Arsenic (As)	BDL[D.L.=0.1]	ng/m ³	≤ 06 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07
12.	Nickel (Ni)	BDL[D.L.=0.1]	ng/m ³	≤ 20 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07

BDL: Below Detection Limit.

Statement of Conformity: The above mentioned test results are complies with prescribed National Ambient Air Quality Standards (NAAQS: 2009) limits.

Verified & Reviewed by- Quality Manager

i) Results relate only to the items tested.

ii) Report shall not be reported except in full without approval of the laboratory.



Authorized by - TM (Chem.)

ENalyse*

ULR No.: Not Applicable					
Ambient Air Quality Monitoring Report				Report No.AB/PSC/03/2025-26/738	
Client Details Name & Address: M/s. Privi Speciality Chemicals Ltd., (Unit-I) Plot No.A-7, MIDC Mahad Dist-Raigad-402309, Maharashtra, India		Sample Code		AB/PSC/03/2025-26/738	
		Sample Name /Location		(A4) Near Main Gate	
		Sample Type		Ambient Air	
		Method of Sampling		IS:5182 &CPCB Manual-(NAAQMS 36/2012-13)	
		Sample Collected By		Aavanira Biotech Pvt. Ltd.,	
		Sample Collected On		24/03/2026	
		Sample Received on Date		25/03/2026	
		Sample Condition / Description		Liquids of 30 ml in Sealed & intact plastic Containers, Filter Papers in sealed case.	
		Analysis Date		25/03/2026 to 30/03/2026	
		Analysis Done At		Aavanira Biotech Pvt Ltd	
		Reporting Date		30/03/2026	
Sample returned /stored		Stored at 4°C for 1 week from the date of reporting			
Instrument Details		Ambient Fine Dust Sampler, AB/Tech/Instr/121 Calibrated on -18/04/2025 Due On-17/04/2026			
Ambient Temperature		33.5°C	Relative Humidity(RH)	40 %	
Sampling Duration		24 Hrs.			
Time of Sampling		11:50 a.m. to 11:50 a.m.			
Sr. No.	Parameter	Results	Units	NAAQ Standards	Standard Method
1.	Particulate Matter (PM ₁₀)	84.80	µg/m ³	≤ 100	IS 5182 Part 23 : 2006 (R.A.:2022)
2.	Particulate Matter (PM _{2.5})	32.40	µg/m ³	≤ 60	IS 5182 Part 24 : 2019(R.A.:2024)
3.	Sulphur Dioxide (SO ₂)	29.5	µg/m ³	≤ 80	IS 5182 Part 2 : 2001 (R.A.:2023)
4.	Oxides of Nitrogen (NO _x)	34.0	µg/m ³	≤ 80	IS 5182 Part 6 : 2006 (R.A.:2022)
5.	Ozone (O ₃)	18.0	µg/m ³	≤ 180 (1 Hr.)	IS: 5182 Part 9 : 1974 (R.A.:2024)
6.	Lead (Pb)	BDL[D.L.=0.1]	µg/m ³	≤ 1.0	Lab SOP No. AB/TECH/CHM/SOP/A/07
7.	Carbon Monoxide (CO)	2.10	mg/m ³	≤ 04 (1 Hr.)	IS 5182 Part 10 : 1999(R.A.:2024)
8.	Ammonia (NH ₃)	19.2	µg/m ³	≤ 400	IS 5182 Part 25 : 2018
9.	Benzene (C ₆ H ₆)	BDL[D.L.=0.02]	µg/m ³	≤ 05 (Annual)	IS 5182 Part 11 : 2006 (R.A.:2022)
10.	Benzo(a)Pyrene (BaP)	BDL[D.L.=0.001]	ng/m ³	≤ 01(Annual)	IS 5182 Part 12 :2004 (R.A.:2019)
11.	Arsenic (As)	BDL[D.L.=0.1]	ng/m ³	≤ 06 (Annual)	Lab SOP No. AB/TECH/CHM/SOP/A/07
12.	Nickel (Ni)	BDL[D.L.=0.1]	ng/m ³	≤ 20 (Annual)	Lab SOP No. AB/TECH/CHM/SOP/A/07


BDL: Below Detection Limit.

Statement of Conformity: The above mentioned test results are complies with prescribed National Ambient Air Quality Standards (NAAQS: 2009) limits.

Verified & Reviewed by- Quality Manager

i) Results relate only to the items tested.

ii) Report shall not be reported except in full without approval of the laboratory.



Authorized by - TM (Chem.)

ENalyze*

ULR No.: Not Applicable					
Ambient Air Quality Monitoring Report				Report No.AB/PSC/03/2025-26/739	
Client Details Name & Address: M/s. Privi Speciality Chemicals Ltd., (Unit-I) Plot No.A-7, MIDC Mahad Dist-Raigad-402309, Maharashtra, India		Sample Code		AB/PSC/03/2025-26/739	
		Sample Name /Location		(A5) Near N ₂ Plant North Side	
		Sample Type		Ambient Air	
		Method of Sampling		IS:5182 &CPCB Manual-(NAAQMS 36/2012-13)	
		Sample Collected By		Aavanira Biotech Pvt. Ltd.,	
		Sample Collected On		24/03/2026	
		Sample Received on Date		25/03/2026	
		Sample Condition / Description		Liquids of 30 ml in Sealed & intact plastic Containers, Filter Papers in sealed case.	
		Analysis Date		25/03/2026 to 30/03/2026	
		Analysis Done At		Aavanira Biotech Pvt Ltd	
		Reporting Date		30/03/2026	
Sample returned /stored		Stored at 4°C for 1 week from the date of reporting			
Instrument Details		Ambient Fine Dust Sampler, AB/Tech/Instr/132 Calibrated on –18/04/2025 Due On–17/04/2026			
Ambient Temperature		33.4 ⁰ C	Relative Humidity(RH)	42 %	
Sampling Duration		24 Hrs.			
Time of Sampling		12:20 p.m. to 12:20 p.m.			
Sr. No.	Parameter	Results	Units	NAAQ Standards	Standard Method
1.	Particulate Matter (PM ₁₀)	79.65	µg/m ³	≤ 100	IS 5182 Part 23 : 2006 (R.A.:2022)
2.	Particulate Matter (PM _{2.5})	32.88	µg/m ³	≤ 60	IS 5182 Part 24 : 2019(R.A.:2024)
3.	Sulphur Dioxide (SO ₂)	27.5	µg/m ³	≤ 80	IS 5182 Part 2 : 2001 (R.A.:2023)
4.	Oxides of Nitrogen (NO _x)	32.5	µg/m ³	≤ 80	IS 5182 Part 6 : 2006 (R.A.:2022)
5.	Ozone (O ₃)	17.2	µg/m ³	≤ 180 (1 Hr.)	IS: 5182 Part 9 : 1974 (R.A.:2024)
6.	Lead (Pb)	BDL[D.L.=0.1]	µg/m ³	≤ 1.0	Lab SOP No. AB/TECH/CHM/SOP/A/07
7.	Carbon Monoxide (CO)	1.97	mg/m ³	≤ 04 (1 Hr.)	IS 5182 Part 10 : 1999(R.A.:2024)
8.	Ammonia (NH ₃)	20.5	µg/m ³	≤ 400	IS 5182 Part 25 : 2018
9.	Benzene (C ₆ H ₆)	BDL[D.L.=0.02]	µg/m ³	≤ 05 (Annual)	IS 5182 Part 11 : 2006 (R.A.:2022)
10.	Benzo(a)Pyrene (BaP)	BDL[D.L.=0.001]	ng/m ³	≤ 01(Annual)	IS 5182 Part 12 :2004 (R.A.:2019)
11.	Arsenic (As)	BDL[D.L.=0.1]	ng/m ³	≤ 06 (Annual)	Lab SOP No. AB/TECH/CHM/SOP/A/07
12.	Nickel (Ni)	BDL[D.L.=0.1]	ng/m ³	≤ 20 (Annual)	Lab SOP No. AB/TECH/CHM/SOP/A/07

BDL: Below Detection Limit.

Statement of Conformity: The above mentioned test results are complies with prescribed National Ambient Air Quality Standards (NAAQS: 2009) limits.

Verified & Reviewed by- Quality Manager

i) Results relate only to the items tested.

ii) Report shall not be reported except in full without approval of the laboratory.



Authorized by - TM (Chem.)

ENalyse*

ULR No.: Not Applicable					
Ambient Air Quality Monitoring Report				Report No.AB/PSC/03/2025-26/740	
Client Details Name & Address: M/s. Privi Speciality Chemicals Ltd., (Unit-I) Plot No.A-7, MIDC Mahad Dist-Raigad-402309, Maharashtra, India		Sample Code		AB/PSC/03/2025-26/740	
		Sample Name /Location		(A6) Solvent Tank Farm	
		Sample Type		Ambient Air	
		Method of Sampling		IS:5182 &CPCB Manual-(NAAQMS 36/2012-13)	
		Sample Collected By		Aavanira Biotech Pvt. Ltd.,	
		Sample Collected On		24/03/2026	
		Sample Received on Date		25/03/2026	
		Sample Condition / Description		Liquids of 30 ml in Sealed & intact plastic Containers, Filter Papers in sealed case.	
		Analysis Date		25/03/2026 to 30/03/2026	
		Analysis Done At		Aavanira Biotech Pvt Ltd	
		Reporting Date		30/03/2026	
Sample returned /stored		Stored at 4°C for 1 week from the date of reporting			
Instrument Details		Ambient Fine Dust Sampler, AB/Tech/Instr/133 Calibrated on -18/04/2025 Due On-17/04/2026			
Ambient Temperature		34.0°C	Relative Humidity(RH)	40 %	
Sampling Duration		24 Hrs.			
Time of Sampling		01:00 p.m. to 01:00 p.m.			
Sr. No.	Parameter	Results	Units	NAAQ Standards	Standard Method
1.	Particulate Matter (PM ₁₀)	84.58	µg/m ³	≤ 100	IS 5182 Part 23 : 2006 (R.A.:2022)
2.	Particulate Matter (PM _{2.5})	38.10	µg/m ³	≤ 60	IS 5182 Part 24 : 2019(R.A.:2024)
3.	Sulphur Dioxide (SO ₂)	29.5	µg/m ³	≤ 80	IS 5182 Part 2 : 2001 (R.A.:2023)
4.	Oxides of Nitrogen (NO _x)	32.0	µg/m ³	≤ 80	IS 5182 Part 6 : 2006 (R.A.:2022)
5.	Ozone (O ₃)	19.2	µg/m ³	≤ 180 (1 Hr.)	IS: 5182 Part 9 : 1974 (R.A.:2024)
6.	Lead (Pb)	BDL[D.L.=0.1]	µg/m ³	≤ 1.0	Lab SOP No. AB/TECH/CHM/SOP/A/07
7.	Carbon Monoxide (CO)	2.08	mg/m ³	≤ 04 (1 Hr.)	IS 5182 Part 10 : 1999(R.A.:2024)
8.	Ammonia (NH ₃)	18.0	µg/m ³	≤ 400	IS 5182 Part 25 : 2018
9.	Benzene (C ₆ H ₆)	BDL[D.L.=0.02]	µg/m ³	≤ 05 (Annual)	IS 5182 Part 11 : 2006 (R.A.:2022)
10.	Benzo(a)Pyrene (BaP)	BDL[D.L.=0.001]	ng/m ³	≤ 01(Annual)	IS 5182 Part 12 :2004 (R.A.:2019)
11.	Arsenic (As)	BDL[D.L.=0.1]	ng/m ³	≤ 06 (Annual)	Lab SOP No. AB/TECH/CHM/SOP/A/07
12.	Nickel (Ni)	BDL[D.L.=0.1]	ng/m ³	≤ 20 (Annual)	Lab SOP No. AB/TECH/CHM/SOP/A/07

BDL: Below Detection Limit.

Statement of Conformity: The above mentioned test results are complies with prescribed National Ambient Air Quality Standards (NAAQS: 2009) limits.

Verified & Reviewed by- Quality Manager

i) Results relate only to the items tested.

ii) Report shall not be reported except in full without approval of the laboratory.



Authorized by – TM (Chem.)

Unit-I Work Zone Monitoring Report February-2026

Sr no	Parameters	UOM	The Factories Act 1948 Standards	Location			
				Blending Area G-Floor	Main Plant G- Floor	Tower Plant G- Floor	BF-3 Handling Area
1	Hydrocarbon (HC)	mg/m3	N.S	1.38	0.98	1.15	1.1
2	Toluene	mg/m3	<375	90	0.7	0.85	0.88
3	Acid Mist	mg/m3	<1.0	BDL	BDL	BDL	BDL
4	VOCs (B-T-X)	ppm	N.S	BDL	BDL	BDL	BDL

Workzone Air Quality Monitoring Report Report No. AB/PSC/02/2025-26/694					
Name of Client & Address: M/s. Privi Speciality Chemicals Ltd., (Unit-I) Plot No.A-7, MIDC Mahad Dist-Raigad-402309,Maharashtra, India		Sample Code		AB/PSC/02/2025-26/694	
		Sample Name /Location		Blending Area-Ground Floor	
		Sample Type		Workzone Air	
		Method of Sampling		NIOSH Manual	
		Sample Collected By		Aavanira Biotech Pvt. Ltd.,	
		Sample Collected On		27/02/2026	
		Sample Received on Date		02/03/2026	
		Sample Condition / Description		Filter Papers & Glass Tube in sealed case.	
		Analysis Date		02/03/2026 to 06/03/2026	
		Analysis Done At		Aavanira Biotech Pvt Ltd	
		Reporting Date		06/03/2026	
Sample returned /stored		Stored at 4°C for 1 week from the date of reporting			
Instrument Details		Portable Gas Sampler, AB/Tech/Instr/138 Calibrated on -02/07/2025 Due On-01/07/2026			
Ambient Temperature		32.5°C	Relative Humidity(RH)		39 %
Sampling Duration		08 Hrs.			
Time of Sampling		10:50 a.m.			
Sr. No.	Parameter	Result	Unit	The Factories Act 1948, standards	Standard Method
1	Hydrocarbon(HC)	1.38	mg/m ³	N.S.	NIOSH Manual
2	Toluene	0.90	mg/m ³	<375	NIOSH Manual
3	Acid Mist	BDL	mg/m ³	<1.0	NIOSH Manual
4	VOCs (B-T-X)	BDL	ppm	N.S.	GC Method

N.S. = Not Specified BDL: Below Detectable Limit

Statement of Conformity: The above mentioned test results are complies with prescribed the
Factories Act, 1948 Standards limits.

Verified & Reviewed by- Quality Manager



Authorized by - TM (Chem.)

- Results relate only to the items tested.
- Report shall not be reported except in full without approval of the laboratory.

Workzone Air Quality Monitoring Report Report No. AB/PSC/02/2025-26/695					
Name of Client & Address: M/s. Privi Speciality Chemicals Ltd., (Unit-I) Plot No. A-7, MIDC Mahad Dist-Raigad-402309,Maharashtra, India		Sample Code		AB/PSC/02/2025-26/695	
		Sample Name /Location		Main Plant-Ground Floor	
		Sample Type		Workzone Air	
		Method of Sampling		NIOSH Manual	
		Sample Collected By		Aavanira Biotech Pvt. Ltd.,	
		Sample Collected On		27/02/2026	
		Sample Received on Date		02/03/2026	
		Sample Condition / Description		Filter Papers & Glass Tube in sealed case.	
		Analysis Date		02/03/2026 to 06/03/2026	
		Analysis Done At		Aavanira Biotech Pvt Ltd	
		Reporting Date		06/03/2026	
Sample returned /stored		Stored at 4°C for 1 week from the date of reporting			
Instrument Details		Portable Gas Sampler, AB/Tech/Instr/94 Calibrated on -02/07/2025 Due On-01/07/2026			
Ambient Temperature		31.5°C	Relative Humidity(RH)		40 %
Sampling Duration		08 Hrs.			
Time of Sampling		11:30 a.m.			
Sr. No.	Parameter	Result	Unit	The Factories Act 1948, standards	Standard Method
1	Hydrocarbon(HC)	0.98	mg/m ³	N.S.	NIOSH Manual
2	Toluene	0.70	mg/m ³	<375	NIOSH Manual
3	Acid Mist	BDL	mg/m ³	<1.0	NIOSH Manual
4	VOCs (B-T-X)	BDL	ppm	N.S.	GC Method

N.S. = Not Specified BDL: Below Detectable Limit

Statement of Conformity: The above mentioned test results are complies with prescribed the
Factories Act, 1948 Standards limits.

Verified & Reviewed by- Quality Manager



Authorized by - TM (Chem.)

- Results relate only to the items tested.
- Report shall not be reported except in full without approval of the laboratory.

ENalyse*

Workzone Air Quality Monitoring Report Report No. AB/PSC/02/2025-26/696					
Name of Client & Address: M/s. Privi Speciality Chemicals Ltd., (Unit-I) Plot No. A-7, MIDC Mahad Dist-Raigad-402309,Maharashtra, India		Sample Code		AB/PSC/02/2025-26/696	
		Sample Name /Location		BF 3 Handling Area	
		Sample Type		Workzone Air	
		Method of Sampling		NIOSH Manual	
		Sample Collected By		Aavanira Biotech Pvt. Ltd.,	
		Sample Collected On		28/02/2026	
		Sample Received on Date		02/03/2026	
		Sample Condition / Description		Filter Papers & Glass Tube in sealed case.	
		Analysis Date		02/03/2026 to 06/03/2026	
		Analysis Done At		Aavanira Biotech Pvt Ltd	
		Reporting Date		06/03/2026	
Sample returned /stored		Stored at 4°C for 1 week from the date of reporting			
Instrument Details		Portable Gas Sampler, AB/Tech/Instr/138 Calibrated on -02/07/2025 Due On-01/07/2026			
Ambient Temperature		32.0 ^o C	Relative Humidity(RH)		45 %
Sampling Duration		08 Hrs.			
Time of Sampling		10:50 a.m.			
Sr. No.	Parameter	Result	Unit	The Factories Act 1948, standards	Standard Method
1	Hydrocarbon(HC)	1.10	mg/m ³	N.S.	NIOSH Manual
2	Toluene	0.88	mg/m ³	<375	NIOSH Manual
3	Acid Mist	BDL	mg/m ³	<1.0	NIOSH Manual
4	VOCs (B-T-X)	BDL	ppm	N.S.	GC Method

N.S. = Not Specified BDL: Below Detectable Limit

Statement of Conformity: The above mentioned test results are complies with prescribed the
Factories Act, 1948 Standards limits.

Verified & Reviewed by- Quality Manager



Authorized by - TM (Chem.)

- Results relate only to the items tested.
- Report shall not be reported except in full without approval of the laboratory.

Workzone Air Quality Monitoring Report Report No. AB/PSC/02/2025-26/697					
Name of Client & Address: M/s. Privi Speciality Chemicals Ltd., (Unit-I) Plot No. A-7, MIDC Mahad Dist-Raigad-402309,Maharashtra, India		Sample Code		AB/PSC/02/2025-26/697	
		Sample Name /Location		Tower Plant – Ground Floor	
		Sample Type		Workzone Air	
		Method of Sampling		NIOSH Manual	
		Sample Collected By		Aavanira Biotech Pvt. Ltd.,	
		Sample Collected On		28/02/2026	
		Sample Received on Date		02/03/2026	
		Sample Condition / Description		Filter Papers & Glass Tube in sealed case.	
		Analysis Date		02/03/2026 to 06/03/2026	
		Analysis Done At		Aavanira Biotech Pvt Ltd	
		Reporting Date		06/03/2026	
Sample returned /stored		Stored at 4°C for 1 week from the date of reporting			
Instrument Details		Portable Gas Sampler, AB/Tech/Instr/94 Calibrated on –02/07/2025 Due On–01/07/2026			
Ambient Temperature		30.5 ⁰ C	Relative Humidity(RH)		42 %
Sampling Duration		08 Hrs.			
Time of Sampling		11:50 a.m.			
Sr. No.	Parameter	Result	Unit	The Factories Act 1948, standards	Standard Method
1	Hydrocarbon(HC)	1.15	mg/m ³	N.S.	NIOSH Manual
2	Toluene	0.85	mg/m ³	<375	NIOSH Manual
3	Acid Mist	BDL	mg/m ³	<1.0	NIOSH Manual
4	VOCs (B-T-X)	BDL	ppm	N.S.	GC Method

N.S. = Not Specified

BDL: Below Detectable Limit

Statement of Conformity: The above mentioned test results are complies with prescribed the Factories Act, 1948 Standards limits.

Verified & Reviewed by– Quality Manager



Authorized by – TM (Chem.)

- Results relate only to the items tested.
- Report shall not be reported except in full without approval of the laboratory.

General Conditions - 5

Month : March 2026Unit - 1

Sr. No.	Action	Frquency	Observations / Dates														
			01	02	03	04	05	06	07	08	09	10	11	12	13	14	15
1	For Toilet and Wash Room																
1	Mop and wipe the floor inside the toilets	Daily	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
2	Sanitation (Using disinfectant)	Daily	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3	Clean the wash basin and remove any obstructions/choke up materials	Daily	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
4	Clean and shine the cistern urinals, and sanitize it	Daily	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
5	Clean and wipe the mirrors and clean the flush tank surface	Daily	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
6	Replenish the liquid soap	Daily	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
7	Naphta ball change if necessary	Weekly	—	—	—	—	—	✓	—	—	—	—	—	—	✓	—	—
8	Remove the cobwebs	Weekly	—	—	—	—	—	✓	—	—	—	—	—	—	✓	—	—
9	De-dist the wall surface	Weekly	—	—	—	—	—	✓	—	—	—	—	—	—	✓	—	—
10	De-dist the exhaust fans	Weekly	—	—	—	—	—	✓	—	—	—	—	—	—	✓	—	—
	Signature of Houskeeping Supervisor																
	Signature of Admin Department		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

AD001-F01-01

*on B. Meeth*



Month : March - 2026

Unit - 1

Sr. No.	Action	Frequency	Observations / Dates																
	For Toilet and Wash Room		16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
1	Mop and wipe the floor inside the toilets	Daily	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
2	Sanitation (Using disinfectant)	Daily	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3	Clean the wash basin and remove any obstructions/choke up materials	Daily	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
4	Clean and shine the cistern urinals, and sanitize it	Daily	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
5	Clean and wipe the mirrors and clean the flush tank surface	Daily	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
6	Replenish the liquid soap	Daily	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
7	Naphta ball change if necessary	Weekly	—	—	—	—	✓	—	—	—	—	—	—	✓	—	—	—	—	—
8	Remove the cobwebs	Weekly	—	—	—	—	✓	—	—	—	—	—	—	✓	—	—	—	—	—
9	De-dist the wall surface	Weekly	—	—	—	—	✓	—	—	—	—	—	—	✓	—	—	—	—	—
10	De-dist the exhaust fans	Weekly	—	—	—	—	✓	—	—	—	—	—	—	✓	—	—	—	—	—
	Signature of Houskeeping Supervisor																		
	Signature of Admin Department		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

AD001-F01-01



General Conditions - 7

Privi Speciality Chemicals Limited Unit-I DG Stack Analysis Report of Nov-2025 and Feb-2026

Sr no	Parameters	UOM	Limit	Nov-25				Feb-26			
				S-1 DG Set 380KVA-1		S-2 DG Set 380 KVA-2		S-1 DG Set 380KVA-1		S-2 DG Set 380 KVA-2	
				Before RECD	After RECD	Before RECD	After RECD	Before RECD	After RECD	Before RECD	After RECD
1	Particulate Matter (TPM)	mg/Nm ³	≤50	41.78	13.52	49.42	12.97	43.62	18.78	54.23	21.45
2	Sulphur Dioxide (So ₂)	mg/Nm ³	-	45.82	15.45	42.65	18.25	46.24	16.82	45.87	20.34
		Kg/day	96	0.53	0.18	0.52	0.23	0.54	0.2	0.56	0.25
3	Oxides Nitrogen (NoX)	ppm	-	1.46	0.71	0.98	0.31	1.5	0.74	0.96	0.36
4	HCL	mg/Nm ³	<35	ND	ND	ND	ND	ND	ND	ND	ND
5	Acid Mist	ppm	<35	ND	ND	ND	ND	ND	ND	ND	ND

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India
ISO 9001: 2015 and ISO 45001: 2018 Certified Company


ENalyze*

ULR No.: Not Applicable					
Source Emission Monitoring Report				Report No. AB/PSC/11/2025-26/457	
Client Details Name & Address: M/s. Privi Speciality Chemicals Ltd., (Unit-I) Plot No.A-7, MIDC Mahad Dist-Raigad-402309 Maharashtra, India	Sample Code	AB/PSC/11/2025-26/457			
	Sample Name /Location	S-1 DG Set 380 KVA -1 (Before RECD)			
	Sample Type	Stack			
	Method of Sampling	IS:11255 & CPCB Manual (LATS/80/2013-2014)			
	Sample Collected By	Aavanira Biotech Pvt. Ltd.,			
	Sample Collected On	16/11/2025			
	Sample Received on Date	18/11/2025			
	Sample Condition / Description	Liquids of 30 ml in Sealed & intact plastic containers, Thimble Paper in sealed case.			
	Analysis Date	18/11/2025 to 24/11/2025			
	Analysis Done At	Aavanira Biotech Pvt Ltd			
Reporting Date	24/11/2025				
Sample returned /stored	Stored at 4°C for 1 week from the date of reporting				
Instrument Details	Stack Monitoring Kit , AB/Tech/Instr/229 Calibrated on -18/04/2025 Due On-17/04/2026				
Sampling Duration	30 Mins.				
Time of Sampling	11:30 a.m.				
Stack Details					
Sr. No.	Particulars	Details	Unit		
1	Material of Stack	MS	--		
2	Stack Height	4.0	mtr.		
3	Type of Stack	Round	--		
4	Fuel Type	HSD	--		
5	Flue Gas Temperature	438	°K		
6	Differential Pressure	6.9	mmWG		
7	Velocity	11.24	m/s		
8	Diameter of Stack	0.4	mtr.		
9	Stack Area	0.0176	m ²		
10	Gas Volume	484.45	Nm ³ /Hr		
TEST PARAMETERS					
Sr. No.	Parameter	Results	Units	Limits as per MPCB Consent	Standard Method
1	Particulate Matter (TPM)	41.78	mg/Nm ³	≤ 50	IS 11255 Part 1:1985(R.A.:2024)
2	Sulphur Dioxide(SO ₂)	45.82	mg/Nm ³	--	IS 11255 Part 2:1985(R.A.:2024)
		0.53	Kg/day	96	
3	Oxides of Nitrogen(NOx)	1.46	ppm	--	IS 11255 Part 7:2005(R.A.:2022)
4	HCL	N.D.	mg/Nm ³	<35	US EPA Method 8 A
5	Acid Mist	N.D.	ppm	<35	US EPA Method 8 A

N.D.: Not Detected

Statement of Conformity: The above mentioned test results are complies with MPCB Consent limits.

Verified & Reviewed by- Quality Manager




Authorized by - TM (Chem.)



- Results relate only to the items tested.
- Report shall not be reported except in full without approval of the laboratory.

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India
ISO 9001: 2015 and ISO 45001: 2018 Certified Company


ENalyze*

ULR No.: Not Applicable					
Source Emission Monitoring Report				Report No. AB/PSC/11/2025-26/458	
Client Details Name & Address: M/s. Privi Speciality Chemicals Ltd., (Unit-I) Plot No.A-7, MIDC Mahad Dist-Raigad-402309 Maharashtra, India	Sample Code		AB/PSC/11/2025-26/458		
	Sample Name /Location		S-1 DG Set 380 KVA -1 (After RECD)		
	Sample Type		Stack		
	Method of Sampling		IS:11255 & CPCB Manual (LATS/80/2013-2014)		
	Sample Collected By		Aavanira Biotech Pvt. Ltd.,		
	Sample Collected On		16/11/2025		
	Sample Received on Date		18/11/2025		
	Sample Condition / Description		Liquids of 30 ml in Sealed & intact plastic containers, Thimble Paper in sealed case.		
	Analysis Date		18/11/2025 to 24/11/2025		
	Analysis Done At		Aavanira Biotech Pvt Ltd		
Reporting Date		24/11/2025			
Sample returned /stored		Stored at 4°C for 1 week from the date of reporting			
Instrument Details		Stack Monitoring Kit , AB/Tech/Instr/229 Calibrated on -18/04/2025 Due On-17/04/2026			
Sampling Duration		30 Mins.			
Time of Sampling		12:15 p.m.			
Stack Details					
Sr. No.	Particulars	Details	Unit		
1	Material of Stack	MS	--		
2	Stack Height	4.0	mtr.		
3	Type of Stack	Round	--		
4	Fuel Type	HSD	--		
5	Flue Gas Temperature	440	°K		
6	Differential Pressure	7.2	mmWG		
7	Velocity	11.51	m/s		
8	Diameter of Stack	0.4	mtr.		
9	Stack Area	0.0176	m ²		
10	Gas Volume	493.75	Nm ³ /Hr		
TEST PARAMETERS					
Sr. No.	Parameter	Results	Units	Limits as per MPCB Consent	Standard Method
1	Particulate Matter (TPM)	13.52	mg/Nm ³	≤ 50	IS 11255 Part 1:1985(R.A.:2024)
2	Sulphur Dioxide(SO ₂)	15.45	mg/Nm ³	--	IS 11255 Part 2:1985(R.A.:2024)
		0.18	Kg/day	96	
3	Oxides of Nitrogen(NOx)	0.71	ppm	--	IS 11255 Part 7:2005(R.A.:2022)
4	HCL	N.D.	mg/Nm ³	<35	US EPA Method 8 A
5	Acid Mist	N.D.	ppm	<35	US EPA Method 8 A

N.D.: Not Detected

Statement of Conformity: The above mentioned test results are complies with MPCB Consent limits.

Verified & Reviewed by- Quality Manager




Authorized by - TM (Chem.)



- Results relate only to the items tested.
- Report shall not be reported except in full without approval of the laboratory.

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India
ISO 9001: 2015 and ISO 45001: 2018 Certified Company

ENalyze*

ULR No.: Not Applicable					
Source Emission Monitoring Report					
Report No. AB/PSC/11/2025-26/459					
Client Details Name & Address: M/s. Privi Speciality Chemicals Ltd., (Unit-I) Plot No.A-7, MIDC Mahad Dist-Raigad-402309 Maharashtra, India	Sample Code	AB/PSC/11/2025-26/459			
	Sample Name /Location	S-2 DG Set 380 KVA -2 (Before RECD)			
	Sample Type	Stack			
	Method of Sampling	IS:11255 & CPCB Manual (LATS/80/2013-2014)			
	Sample Collected By	Aavanira Biotech Pvt. Ltd.,			
	Sample Collected On	16/11/2025			
	Sample Received on Date	18/11/2025			
	Sample Condition / Description	Liquids of 30 ml in Sealed & intact plastic containers, Thimble Paper in sealed case.			
	Analysis Date	18/11/2025 to 24/11/2025			
	Analysis Done At	Aavanira Biotech Pvt Ltd			
	Reporting Date	24/11/2025			
Sample returned /stored	Stored at 4°C for 1 week from the date of reporting				
Instrument Details	Stack Monitoring Kit , AB/Tech/Instr/229 Calibrated on -18/04/2025 Due On-17/04/2026				
Sampling Duration	30 Mins.				
Time of Sampling	03:40 p.m.				
Stack Details					
Sr. No.	Particulars	Details	Unit		
1	Material of Stack	MS	--		
2	Stack Height	4.0	mtr.		
3	Type of Stack	Round	--		
4	Fuel Type	HSD	--		
5	Flue Gas Temperature	439	°K		
6	Differential Pressure	7.7	mmWG		
7	Velocity	11.89	m/s		
8	Diameter of Stack	0.4	mtr.		
9	Stack Area	0.0176	m ²		
10	Gas Volume	511.18	Nm ³ /Hr		
TEST PARAMETERS					
Sr. No.	Parameter	Results	Units	Limits as per MPCB Consent	Standard Method
1	Particulate Matter (TPM)	49.42	mg/Nm ³	≤ 50	IS 11255 Part 1:1985(R.A.:2024)
2	Sulphur Dioxide(SO ₂)	42.65	mg/Nm ³	--	IS 11255 Part 2:1985(R.A.:2024)
		0.52	Kg/day	96	
3	Oxides of Nitrogen(NOx)	0.98	ppm	--	IS 11255 Part 7:2005(R.A.:2022)
4	HCL	N.D.	mg/Nm ³	<35	US EPA Method 8 A
5	Acid Mist	N.D.	ppm	<35	US EPA Method 8 A

N.D.: Not Detected

Statement of Conformity: The above mentioned test results are complies with MPCB Consent limits.

Verified & Reviewed by- Quality Manager




Authorized by - TM (Chem.)



- Results relate only to the items tested.
- Report shall not be reported except in full without approval of the laboratory.

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India
ISO 9001: 2015 and ISO 45001: 2018 Certified Company

ENalyse*

ULR No.: Not Applicable

Source Emission Monitoring Report

Report No. AB/PSC/11/2025-26/460

Client Details Name & Address: M/s. Privi Speciality Chemicals Ltd., (Unit-I) Plot No.A-7, MIDC Mahad Dist-Raigad-402309 Maharashtra, India	Sample Code	AB/PSC/11/2025-26/460
	Sample Name /Location	S-2 DG Set 380 KVA -2 (After RECD)
	Sample Type	Stack
	Method of Sampling	IS:11255 & CPCB Manual (LATS/80/2013-2014)
	Sample Collected By	Aavanira Biotech Pvt. Ltd.,
	Sample Collected On	16/11/2025
	Sample Received on Date	18/11/2025
	Sample Condition / Description	Liquids of 30 ml in Sealed & intact plastic containers, Thimble Paper in sealed case.
	Analysis Date	18/11/2025 to 24/11/2025
	Analysis Done At	Aavanira Biotech Pvt Ltd
Reporting Date		24/11/2025
Sample returned /stored		Stored at 4°C for 1 week from the date of reporting
Instrument Details		Stack Monitoring Kit , AB/Tech/Instr/229 Calibrated on -18/04/2025 Due On-17/04/2026
Sampling Duration		30 Mins.
Time of Sampling		04:15 p.m.

Stack Details

Sr. No.	Particulars	Details	Unit
1	Material of Stack	MS	--
2	Stack Height	4.0	mtr.
3	Type of Stack	Round	--
4	Fuel Type	HSD	--
5	Flue Gas Temperature	422	°K
6	Differential Pressure	7.5	mmWG
7	Velocity	11.50	m/s
8	Diameter of Stack	0.4	mtr.
9	Stack Area	0.0176	m ²
10	Gas Volume	514.56	Nm ³ /Hr

TEST PARAMETERS

Sr. No.	Parameter	Results	Units	Limits as per MPCB Consent	Standard Method
1	Particulate Matter (TPM)	12.97	mg/Nm ³	≤ 50	IS 11255 Part 1:1985(R.A.:2024)
2	Sulphur Dioxide(SO ₂)	18.25	mg/Nm ³	--	IS 11255 Part 2:1985(R.A.:2024)
		0.23	Kg/day	96	
3	Oxides of Nitrogen(NOx)	0.31	ppm	--	IS 11255 Part 7:2005(R.A.:2022)
4	HCL	N.D.	mg/Nm ³	<35	US EPA Method 8 A
5	Acid Mist	N.D.	ppm	<35	US EPA Method 8 A

N.D.: Not Detected

Statement of Conformity: The above mentioned test results are complies with MPCB Consent limits.

Verified & Reviewed by- Quality Manager



Authorized by - TM (Chem.)

- Results relate only to the items tested.
- Report shall not be reported except in full without approval of the laboratory.


ENalyze*

ULR No.: Not Applicable		Source Emission Monitoring Report		Report No. AB/PSC/02/2025-26/702	
Client Details Name & Address: M/s. Privi Speciality Chemicals Ltd., (Unit-I) Plot No.A-7, MIDC Mahad Dist-Raigad-402309 Maharashtra, India	Sample Code	AB/PSC/02/2025-26/702			
	Sample Name /Location	S-1 DG Set 380 KVA -1 (Before RECD)			
	Sample Type	Stack			
	Method of Sampling	IS:11255 & CPCB Manual (LATS/80/2013-2014)			
	Sample Collected By	Aavanira Biotech Pvt. Ltd.,			
	Sample Collected On	27/02/2026			
	Sample Received on Date	02/03/2026			
	Sample Condition / Description	Liquids of 30 ml in Sealed & intact plastic containers, Thimble Paper in sealed case.			
	Analysis Date	02/03/2026 to 06/03/2026			
	Analysis Done At	Aavanira Biotech Pvt Ltd			
Reporting Date	06/03/2026				
Sample returned /stored		Stored at 4°C for 1 week from the date of reporting			
Instrument Details		Stack Monitoring Kit , AB/Tech/Instr/229 Calibrated on -18/04/2025 Due On-17/04/2026			
Sampling Duration		30 Mins.			
Time of Sampling		11:30 a.m.			
Stack Details					
Sr. No.	Particulars	Details	Unit		
1	Material of Stack	MS	--		
2	Stack Height	4.0	mtr.		
3	Type of Stack	Round	--		
4	Fuel Type	HSD	--		
5	Flue Gas Temperature	458	°K		
6	Differential Pressure	7.3	mmWG		
7	Velocity	11.82	m/s		
8	Diameter of Stack	0.4	mtr.		
9	Stack Area	0.0176	m ²		
10	Gas Volume	487.30	Nm ³ /Hr		
TEST PARAMETERS					
Sr. No.	Parameter	Results	Units	Limits as per MPCB Consent	Standard Method
1	Particulate Matter (TPM)	43.62	mg/Nm ³	≤ 50	IS 11255 Part 1:1985(R.A.:2024)
2	Sulphur Dioxide(SO ₂)	46.24	mg/Nm ³	--	IS 11255 Part 2:1985(R.A.:2024)
		0.54	Kg/day	96	
3	Oxides of Nitrogen(NOx)	1.50	ppm	--	IS 11255 Part 7:2005(R.A.:2022)
4	HCL	N.D.	mg/Nm ³	<35	US EPA Method 8 A
5	Acid Mist	N.D.	ppm	<35	US EPA Method 8 A

N.D.: Not Detected

Statement of Conformity: The above mentioned test results are complies with MPCB Consent limits.

Verified & Reviewed by- Quality Manager



Authorized by - TM (Chem.)

- i) Results relate only to the items tested.
- ii) Report shall not be reported except in full without approval of the laboratory.

ENalyse*

ULR No.: Not Applicable					
Source Emission Monitoring Report				Report No. AB/PSC/02/2025-26/703	
Client Details Name & Address: M/s. Privi Speciality Chemicals Ltd., (Unit-I) Plot No.A-7, MIDC Mahad Dist-Raigad-402309 Maharashtra, India	Sample Code		AB/PSC/02/2025-26/703		
	Sample Name /Location		S-1 DG Set 380 KVA -1 (After RECD)		
	Sample Type		Stack		
	Method of Sampling		IS:11255 & CPCB Manual (LATS/80/2013-2014)		
	Sample Collected By		Aavanira Biotech Pvt. Ltd.,		
	Sample Collected On		27/02/2026		
	Sample Received on Date		02/03/2026		
	Sample Condition / Description		Liquids of 30 ml in Sealed & intact plastic containers, Thimble Paper in sealed case.		
	Analysis Date		02/03/2026 to 06/03/2026		
	Analysis Done At		Aavanira Biotech Pvt Ltd		
Reporting Date		06/03/2026			
Sample returned /stored		Stored at 4°C for 1 week from the date of reporting			
Instrument Details		Stack Monitoring Kit , AB/Tech/Instr/229 Calibrated on -18/04/2025 Due On-17/04/2026			
Sampling Duration		30 Mins.			
Time of Sampling		12:15 p.m.			
Stack Details					
Sr. No.	Particulars	Details	Unit		
1	Material of Stack	MS	--		
2	Stack Height	4.0	mtr.		
3	Type of Stack	Round	--		
4	Fuel Type	HSD	--		
5	Flue Gas Temperature	462	°K		
6	Differential Pressure	7.9	mmWG		
7	Velocity	12.35	m/s		
8	Diameter of Stack	0.4	mtr.		
9	Stack Area	0.0176	m ²		
10	Gas Volume	504.73	Nm ³ /Hr		
TEST PARAMETERS					
Sr. No.	Parameter	Results	Units	Limits as per MPCB Consent	Standard Method
1	Particulate Matter (TPM)	18.78	mg/Nm ³	≤ 50	IS 11255 Part 1:1985(R.A.:2024)
2	Sulphur Dioxide(SO ₂)	16.82	mg/Nm ³	--	IS 11255 Part 2:1985(R.A.:2024)
		0.20	Kg/day	96	
3	Oxides of Nitrogen(NOx)	0.74	ppm	--	IS 11255 Part 7:2005(R.A.:2022)
4	HCL	N.D.	mg/Nm ³	<35	US EPA Method 8 A
5	Acid Mist	N.D.	ppm	<35	US EPA Method 8 A

N.D.: Not Detected

Statement of Conformity: The above mentioned test results are complies with MPCB Consent limits.

Verified & Reviewed by- Quality Manager

Authorized by - TM (Chem.)

i) Results relate only to the items tested.

ii) Report shall not be reported except in full without approval of the laboratory.

ENalyse*

ULR No.: Not Applicable					
Source Emission Monitoring Report				Report No. AB/PSC/02/2025-26/704	
Client Details Name & Address: M/s. Privi Speciality Chemicals Ltd., (Unit-I) Plot No.A-7, MIDC Mahad Dist-Raigad-402309 Maharashtra, India	Sample Code	AB/PSC/02/2025-26/704			
	Sample Name /Location	S-2 DG Set 380 KVA -2 (Before RECD)			
	Sample Type	Stack			
	Method of Sampling	IS:11255 & CPCB Manual (LATS/80/2013-2014)			
	Sample Collected By	Aavanira Biotech Pvt. Ltd.,			
	Sample Collected On	27/02/2026			
	Sample Received on Date	02/03/2026			
	Sample Condition / Description	Liquids of 30 ml in Sealed & intact plastic containers, Thimble Paper in sealed case.			
	Analysis Date	02/03/2026 to 06/03/2026			
	Analysis Done At	Aavanira Biotech Pvt Ltd			
	Reporting Date	06/03/2026			
Sample returned /stored	Stored at 4°C for 1 week from the date of reporting				
Instrument Details	Stack Monitoring Kit , AB/Tech/Instr/229 Calibrated on -18/04/2025 Due On-17/04/2026				
Sampling Duration	30 Mins.				
Time of Sampling	03:40 p.m.				
Stack Details					
Sr. No.	Particulars	Details	Unit		
1	Material of Stack	MS	--		
2	Stack Height	4.0	mtr.		
3	Type of Stack	Round	--		
4	Fuel Type	HSD	--		
5	Flue Gas Temperature	469	°K		
6	Differential Pressure	8.2	mmWG		
7	Velocity	12.68	m/s		
8	Diameter of Stack	0.4	mtr.		
9	Stack Area	0.0176	m ²		
10	Gas Volume	510.37	Nm ³ /Hr		
TEST PARAMETERS					
Sr. No.	Parameter	Results	Units	Limits as per MPCB Consent	Standard Method
1	Particulate Matter (TPM)	54.23	mg/Nm ³	≤ 50	IS 11255 Part 1:1985(R.A.:2024)
2	Sulphur Dioxide(SO ₂)	45.87	mg/Nm ³	--	IS 11255 Part 2:1985(R.A.:2024)
		0.56	Kg/day	96	
3	Oxides of Nitrogen(NOx)	0.96	ppm	--	IS 11255 Part 7:2005(R.A.:2022)
4	HCL	N.D.	mg/Nm ³	<35	US EPA Method 8 A
5	Acid Mist	N.D.	ppm	<35	US EPA Method 8 A

N.D.: Not Detected

Statement of Conformity: The above mentioned test results are complies with MPCB Consent limits.

Verified & Reviewed by- Quality Manager



Authorized by - TM (Chem.)

- i) Results relate only to the items tested.
- ii) Report shall not be reported except in full without approval of the laboratory.

ENalyse*

ULR No.: Not Applicable					
Source Emission Monitoring Report				Report No. AB/PSC/02/2025-26/705	
Client Details Name & Address: M/s. Privi Speciality Chemicals Ltd., (Unit-I) Plot No.A-7, MIDC Mahad Dist-Raigad-402309 Maharashtra, India	Sample Code	AB/PSC/02/2025-26/705			
	Sample Name /Location	S-2 DG Set 380 KVA -2 (After RECD)			
	Sample Type	Stack			
	Method of Sampling	IS:11255 & CPCB Manual (LATS/80/2013-2014)			
	Sample Collected By	Aavanira Biotech Pvt. Ltd.,			
	Sample Collected On	27/02/2026			
	Sample Received on Date	02/03/2026			
	Sample Condition / Description	Liquids of 30 ml in Sealed & intact plastic containers, Thimble Paper in sealed case.			
	Analysis Date	02/03/2026 to 06/03/2026			
	Analysis Done At	Aavanira Biotech Pvt Ltd			
Reporting Date	06/03/2026				
Sample returned /stored	Stored at 4°C for 1 week from the date of reporting				
Instrument Details	Stack Monitoring Kit , AB/Tech/Instr/229 Calibrated on -18/04/2025 Due On-17/04/2026				
Sampling Duration	30 Mins.				
Time of Sampling	04:15 p.m.				
Stack Details					
Sr. No.	Particulars	Details	Unit		
1	Material of Stack	MS	--		
2	Stack Height	4.0	mtr.		
3	Type of Stack	Round	--		
4	Fuel Type	HSD	--		
5	Flue Gas Temperature	439	°K		
6	Differential Pressure	8.1	mmWG		
7	Velocity	12.19	m/s		
8	Diameter of Stack	0.4	mtr.		
9	Stack Area	0.0176	m ²		
10	Gas Volume	524.29	Nm ³ /Hr		
TEST PARAMETERS					
Sr. No.	Parameter	Results	Units	Limits as per MPCB Consent	Standard Method
1	Particulate Matter (TPM)	21.45	mg/Nm ³	≤ 50	IS 11255 Part 1:1985(R.A.:2024)
2	Sulphur Dioxide(SO ₂)	20.34	mg/Nm ³	--	IS 11255 Part 2:1985(R.A.:2024)
		0.25	Kg/day	96	
3	Oxides of Nitrogen(NOx)	0.36	ppm	--	IS 11255 Part 7:2005(R.A.:2022)
4	HCL	N.D.	mg/Nm ³	<35	US EPA Method 8 A
5	Acid Mist	N.D.	ppm	<35	US EPA Method 8 A

N.D.: Not Detected

Statement of Conformity: The above mentioned test results are complies with MPCB Consent limits.

Verified & Reviewed by- Quality Manager

Authorized by - TM (Chem.)

i) Results relate only to the items tested.

ii) Report shall not be reported except in full without approval of the laboratory.



Photo plate: DG Set-1 RECD Device



Photoplate: Photo plate: DG Set-2 RECD Device



General Conditions - 8



To,
Mr. Avinash Gaikwad
Group Head-Engg.
Privi Speciality Chemicals Ltd,
MIDC-Mahad, Raigad-402309

Sub: Handing Over Letter for Installations made under Rooftop Rain Water Harvesting System (RRWH) at Unit I, Privi Speciality Chemicals Ltd, MIDC-Mahad, Raigad-402309.

Ref: PO no. 4500015306/Unit I

Dear Sir,

We are pleased to inform you that the installation and commissioning of the Rainwater Harvesting System (RWHS) at Unit I has been successfully completed, in full alignment with the agreed scope of work. This marks an important milestone in our ongoing efforts toward sustainability and efficient water management. All components have been carefully installed and are now fully operational, contributing positively to our environmental goals and long-term resource conservation.

Details of Installations Made:

Components	Quantity	Manufactural Warranty
Online Rainy Filter (FL-80)	02	10 Years
Online Rainy Filter (FL-150)	01	10 Years
HDPE On-Ground Rainwater Storage Tank (2000 Liter)	01	-
HDPE Overhead Rainwater Storage Tank (1000 Liter)	01	-
Open Well Submersible Pump -1.5HP	01	24 Months from Manufacturing/ 12Months from Purchase
Panel (DPM-2HP TTC-1SUB)	01	12 Months
Water Meter -DN40mm (FMD100896)	01	12 Months



Details of Spare Components Supplied to Site:

Components	Quantity
Spare Online Rainy Filter (FL-80)	03
Open Well Submersible Pump -1 HP	01
Panel (DPM-2HP TTC-1SUB)	01

The Extra Components are Delivered/Installed at Site as per the discussion during the Orientation Conducted by our CMD, Mr. Sandeep Adhyapak Sir at the Plant, in presence of all the concerned officials dated 24/7/2025, Thursday at Unit II, Privi Speciality Chemicals, MIDC Mahad, Raigad 402309

All the above equipment has been installed in good working condition and thoroughly tested. We hereby formally hand over the Rainwater Harvesting System for Unit I to your team for further operation and monitoring. Water Field Technologies Pvt. Ltd. hereby extends the manufacturer's warranty as applicable for the installed equipment/products. Please note that Water Field Technologies is not liable or responsible for any warranty claims, repairs, replacements, or defects beyond the scope of the manufacturer's warranty. All warranty terms and conditions are as per the respective manufacturer's policy. We kindly request you to retain the original warranty cards and related documents, as these will be required for directly contacting the respective manufacturers in case any support or assistance is needed.

We sincerely thank you for your support and cooperation throughout the project execution.
Regards,

Sampada S Adhyapak

(+91) 9821244882

waterfieldindia@gmail.com

Water Field Technologies Pvt. Ltd.

Specialized in Rain Water Harvesting & Ground Water Management.

(An ISO 9001: 2015 Certified Company)



Photographs of Rain water harvesting system

General Conditions - 11



Privi Speciality Chemicals Limited Unit-I DG Insertion loss report Nov-25 and Feb-26															
Month	DG Open Door 0.5 Mt away	DG 380KVA-1 DG Closed Door 0.5 Mt away					For Insertion loss	DG Open Door 0.5 Mt away	DG 380KVA-2 DG Closed Door 0.5 Mt away					For Insertion loss	UOM dB(A)
		N1	N2	N3	N4	Avg			N1	N2	N3	N4	Avg		
Nov-25	98.8	74.5	74.6	74.3	74.2	74.4	24.4	99.2	73.9	74.5	73.4	74.3	74.03	25.2	
Feb-26	98.5	73.2	73.1	72.7	73.1	73.0	25.5	99.7	74.4	74.3	73.9	74.1	74.18	25.5	

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India
ISO 9001: 2015 and ISO 45001: 2018 Certified Company


ENalyze*

DG Insertion Loss Monitoring Report								Report No. AB/PSC/11/2025-26/462	
Client Details Name & Address: M/s. Privi Speciality Chemicals Ltd (Unit-I) Plot No.A-7, MIDC Mahad Dist-Raigad-402309 Maharashtra, India			Sample Code		AB/PSC/11/2025-26/462				
			Sample Type		DG Insertion Loss Noise				
			Method of Sampling		IS : 4758 (RA:2017)				
			Sample Collected By		Aavanira Biotech Pvt. Ltd.				
			Sample Collected On		16/11/2025				
			Reporting Date		24/11/2025				
Instrument Details			Sound Level Meter, AB/Tech/Instr/223 Calibrated on -08/07/2024 Due On-07/07/2025						
Sr. No.	Test Location	DG ON (Open) Door 0.5 Meter away	DG ON (Closed Door 0.5 Meter away)					For Insertion Loss	Unit
			N1	N2	N3	N4	Avg.		
1.	DG Set (380 KVA)No.1	99.8	74.5	74.6	74.3	74.2	74.4	25.4	dB(A)
2.	DG Set (380 KVA)No.2	99.2	73.9	74.5	73.4	74.3	74.0	25.2	dB(A)

Statement of Conformity: The acoustic enclosure /acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss for meeting the ambient noise standards, whichever is on higher side. Above results are Complies with MPCB limits


Verified & Reviewed by- Quality Manager




Authorized by - TM (Chem.)

- Results relate only to the items tested.
- Report shall not be reported except in full without approval of the laboratory.


Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India
ISO 9001: 2015 and ISO 45001: 2018 Certified Company

ENalyze*

DG Insertion Loss Monitoring Report							Report No. AB/PSC/02/2025-26/707		
Client Details Name & Address: M/s. Privi Speciality Chemicals Ltd (Unit-I) Plot No.A-7, MIDC Mahad Dist-Raigad-402309 Maharashtra, India			Sample Code		AB/PSC/02/2025-26/707				
			Sample Type		DG Insertion Loss Noise				
			Method of Sampling		IS : 4758 (RA:2017)				
			Sample Collected By		Aavanira Biotech Pvt. Ltd.				
			Sample Collected On		27/02/2026				
			Reporting Date		06/03/2026				
Instrument Details			Sound Level Meter, AB/Tech/Instr/223 Calibrated on -08/07/2024 Due On-07/07/2025						
Sr. No.	Test Location	DG ON (Open) Door 0.5 Meter away	DG ON (Closed Door 0.5 Meter away)					For Insertion Loss	Unit
			N1	N2	N3	N4	Avg.		
1.	DG Set (380 KVA)No.1	98.5	73.2	73.1	72.7	73.1	73.2	25.5	dB(A)
2.	DG Set (380 KVA)No.2	99.7	74.4	74.3	73.9	74.1	74.1	25.4	dB(A)

Statement of Conformity: The acoustic enclosure /acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss for meeting the ambient noise standards, whichever is on higher side. Above results are Complies with MPCB limits

Verified & Reviewed by- Quality Manager



Authorized by - TM (Chem.)

- Results relate only to the items tested.
- Report shall not be reported except in full without approval of the laboratory.

Page 1 of 1

General Conditions - 12



Ambient Noise Monitoring Report Nov-2025 and Feb-2026

Month	Nov-25				Feb-26			
Specification	Time in Hrs.	Day Time	Time in Hrs.	Night Time	Time in Hrs.	Day Time	Time in Hrs.	Night Time
UOM/Limit		75 db(A)		70 db(A)		75 db(A)		70 db(A)
Location		Reading		Reading		Reading		Reading
BSR Area	12:30	70.5	22:10	60.2	12:30	67.8	22:20	59.6
Main Plant	12:32	66.5	22:23	59.3	12:32	66.5	22:23	60.1
Utility Area	12:35	69.5	22:25	61.2	12:35	70.5	22:25	62.4
ISC	12:38	63.8	22:27	63.2	12:38	64.8	22:27	64.7
DG Sat	12:40	70.5	22:30	68.2	12:40	72.4	22:30	69.4
AF Plant Area	12:45	70.8	22:33	68.3	12:45	71.4	22:33	69.6
Garbage Area	12:47	68.2	22:35	63.2	12:47	70.2	22:35	64.7
Near Main Plant	12:50	65.5	22:38	61.2	12:50	67.3	22:38	62.5
Near N2 Plant	12:52	68.8	22:40	59.5	12:52	69.4	22:40	61.4
Solvent Tank Farm	12:55	63.3	22:45	59.8	12:55	64.7	22:45	60.2

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India
ISO 9001: 2015 and ISO 45001: 2018 Certified Company

ENalyse*

Ambient Noise Monitoring Report						
Report No. AB/PSC/11/2025-26/461						
Client Details Name & Address: M/s. Privi Speciality Chemicals Ltd. (Unit-I) Plot No. A-7, MIDC Mahad Dist-Raigad-402309 Maharashtra, India		Sample Code		AB/PSC/11/2025-26/461		
		Sample Type		Ambient Noise		
		Method of Sampling		IS:9876 (RA:2001)		
		Sample Collected By		Aavanira Biotech Pvt. Ltd.		
		Sample Collected On		16/11/2025		
		Reporting Date		24/11/2025		
Instrument Details		Sound Level Meter, AB/Tech/Instr/220 Calibrated on -02/07/2025 Due On-07/07/2026				
Sr. No.	Test Location	Day Time		Night Time		Unit
		Time in Hrs.	Readings	Time in Hrs.	Readings	
1.	BSR Area	12:30	70.5	22:20	60.2	dB(A)
2.	Main Plant	12:32	66.5	22:23	59.3	dB(A)
3.	Utility Area	12:35	69.5	22:25	61.2	dB(A)
4.	ISC	12:38	63.8	22:27	63.2	dB(A)
5.	DG Set	12:40	70.5	22:30	68.2	dB(A)
6.	AF Plant Area	12:45	70.8	22:33	68.3	dB(A)
7.	Garbage Area	12:47	68.2	22:35	63.2	dB(A)
8.	Near Main Gate	12:50	65.5	22:38	61.2	dB(A)
9.	Near N2 Plant North Side	12:52	68.8	22:40	59.5	dB(A)
10.	Solvent Tank Farm	12:55	63.3	22:45	59.8	dB(A)

Statement of Conformity: Limits: Maharashtra Pollution Control Board has prescribed 75 dB (A) as an upper limit of Noise Level during day time & 70 db (A) for night time.
Above results are complies with the prescribed limits by MPCB.

Verified & Reviewed by- Quality Manager



Authorized by - TM (Chem.)

- i) Results relate only to the items tested.
- ii) Report shall not be reported except in full without approval of the laboratory.

Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India
ISO 9001: 2015 and ISO 45001: 2018 Certified Company

ENalyze*

		Ambient Noise Monitoring Report				Report No. AB/PSC/02/2025-26/706
Client Details Name & Address: M/s. Privi Speciality Chemicals Ltd. (Unit-I) Plot No. A-7, MIDC Mahad Dist-Raigad-402309 Maharashtra, India		Sample Code		AB/PSC/02/2025-26/706		
		Sample Type		Ambient Noise		
		Method of Sampling		IS:9876 (RA:2001)		
		Sample Collected By		Aavanira Biotech Pvt. Ltd.		
		Sample Collected On		27/02/2026		
		Reporting Date		06/03/2026		
Instrument Details		Sound Level Meter, AB/Tech/Instr/220 Calibrated on -02/07/2025 Due On-07/07/2026				
Sr. No.	Test Location	Day Time		Night Time		Unit
		Time in Hrs.	Readings	Time in Hrs.	Readings	
1.	BSR Area	12:30	67.8	22:20	59.6	dB(A)
2.	Main Plant	12:32	66.5	22:23	60.1	dB(A)
3.	Utility Area	12:35	70.5	22:25	62.4	dB(A)
4.	ISC	12:38	64.8	22:27	64.7	dB(A)
5.	DG Set	12:40	72.4	22:30	69.4	dB(A)
6.	AF Plant Area	12:45	71.4	22:33	69.6	dB(A)
7.	Garbage Area	12:47	70.2	22:35	64.7	dB(A)
8.	Near Main Gate	12:50	67.3	22:38	62.5	dB(A)
9.	Near N2 Plant North Side	12:52	69.4	22:40	61.4	dB(A)
10.	Solvent Tank Farm	12:55	64.7	22:45	60.2	dB(A)

Statement of Conformity: Limits: Maharashtra Pollution Control Board has prescribed 75 dB (A) as an upper limit of Noise Level during day time & 70 db (A) for night time.
Above results are complies with the prescribed limits by MPCB.

Verified & Reviewed by- Quality Manager



Authorized by - TM (Chem.)

- Results relate only to the items tested.
- Report shall not be reported except in full without approval of the laboratory.

General Conditions - 13

No/IFMS/B- 11242 /2018
Office of Deputy Engineer
MIDC ,Mahad sub-division
Date :-02/04 /2018

To
Privi Organics India Ltd
Unit II ,MIDC Mahad
Mahad -402309

Sub : Allocation of open space -8 Mahad MIDC for tree
Plantation & green belt development

Ref: 1) Application received from your office vide date
29/3/2018

Sir

With reference to above subject your office have requested for allotment of land towards tree plantation and green belt development. As per your office request for open space- 8 having area 28600.m2 required for development and plantation. This office inspected open space -8 on 30/3/2018. This office has No objection towards tree plantation and development of open space.

Thanking you

Sd/-
2/4/2018
Deputy Engineer
MIDC, Mahad sub-division
Mahad

Copy submitted to E E (Civil) Mahad for favour of information please
Copy submitted to R O Panvel for favour of information & further needfull please
Copy to guard file



Photoplate: Green Belt developed



Photoplate: Green Belt developed at Open Space (OS-8) allocated by MIDC with drip irrigation provision



General Conditions - 14



List of Manual Call Point (MCP)

Sr. No.	Zone	Locations	MCP Device No.
1	Loop 1	RM Store	1
2	Loop 1	Admin First Floor	2
3	Loop 1	ISC Plant Ground Floor	3
4	Loop 1	Tank Farm	4
5	Loop 1	Near U/G Tank Farm	5
6	Loop 1	AF Control Room	6
7	Loop 1	AF Top Floor	7
8	Loop 1	Tower Plant Ground Floor (East)	9
9	Loop 2	Tower Plant Ground Floor (West)	8
10	Loop 1	Tower Plant First Floor (East)	11
11	Loop 2	Tower Plant First Floor (West)	10
12	Loop 1	Tower Plant Second Floor (East)	13
13	Loop 2	Tower Plant Second Floor (West)	12
14	Loop 1	Tower Plant Third Floor (East)	15
15	Loop 2	Tower Plant Third Floor (West)	14
16	Loop 1	Tower Plant Fourth Floor (East)	17
17	Loop 2	Tower Plant Fourth Floor (West)	16
18	Loop 1	Tower Plant Fifth Floor (West)	18
19	Loop 1	Tower Plant Sixth Floor (West)	19
20	Loop 1	Tower Plant Seven Floor (West)	20
21	Loop 1	Tower Plant Eight Floor (West)	21
22	Loop 1	Tower Plant Nine Floor (West)	22
23	Loop 2	Main Plant Ground Staircase	23
24	Loop 1	Main Plant First Floor	24
25	Loop 2	Main Plant Second Floor	25
26	Loop 2	Main Plant Third Floor	26
27	Loop 2	Main Plant Fourth Floor	27
28	Loop 2	Main Plant Sixth Floor	28
29	Loop 2	Main Plant Eight Floor	29



List of Heat & Smoke Detectors

Sr. No.	Zone/Location	Smoke / Heat / UV Detector No.
1	Engg stores	SD01
2	Engg stores	SD02
3	QC lab	SD03
4	CONF HALL	SD04
5	ACB room	SD05
6	DG	SD06
7	PCC	SD07
8	Main pl MCC	SD08
9	Main pl MCC	SD09
10	Tower MCC	SD10
11	AF pl MCC	SD11
12	Ionone pl MCC	SD12
13	Ionone pl MCC	SD13
14	Ionone pl MCC	SD14
15	AF control room	SD15
16	Tower MCC	SD16
17	Main plant MCC	SD17
18	RM store Heat Detector	HD01
19	RM store Heat Detector	HD02
20	BSR Heat Detector ground	HD03
21	BSR Heat Detector ground	HD04
22	BSR Heat Detector Top	HD05
23	BSR Heat Detector Top	HD06
24	Garbage Heat Detector	HD07
25	Eng Store Side Heat Detector	HD08
26	Eng Store Side Heat Detector	HD09
27	Blending Heat Detector	HD10
28	Blending Heat Detector	HD11
29	Blending Heat Detector	HD12
30	Pantry Heat Detector	HD13
31	RM packing material Storeroom	HD14
32	Ionone MCC ground Floor Heat Detector	HD15

General Conditions - 15

FORM NO. 7

[see rule 18(7) & schedule II,III,IV,VIII,X,XI,XIII,XIV,XV,XVII & XX to rule 114]

(In respect of persons employed in occupations declared to be dangerous operations under section 87)

On 06-01-2026 To 07-01-2026 (Annual Health Check Up)

Name of Certifying Surgeon : Dr.Faisal Deshmukh

Name of the Company : Privi Speciality Chemicals Ltd. Unit I (Company) MIDC: Mahad : Raigad

Sr. No	Name of Worker	Sex	Age (Last Birthday)	Date of Employment of present work	Date of Leaving or transfer to other work	Reason for leaving, transfer or discharge	Nature of job or occupation	Raw material or byproduct handled	Date of Medical Examination by certifying surgeon and result of Medical Examination	Results of medical Examination	If suspended from work, state period of suspension with detail	Certified fit to resume duty on with signature of certifying surgeon	If certificate of unfitness or suspension issued to worker	Signature with certifying surgeon
1	Mr. Manish A. Shelar	M	54	04-05-97	NA	NA	Sr. Executive	1	06-01-26	If BP>140/90 Start Treatment, Consult FMO/Physican For B.P. Monitoring Dietary Restrictions, Physical Exercise, Provisional Fitness.	-	-	-	-
2	Mr. Akash Khardare	M	29	23-10-23	NA	NA	Enquary Store	4	06-01-26	Medically Fit.	-	-	-	-
3	Mr. Sanjay J. Warke	M	56	03-07-96	NA	NA	Sr.Operator	1	06-01-26	If BP>140/90 Start Treatment, Consult FMO/Physican For B.P. Monitoring Dietary Restrictions, Physical Exercise, Provisional Fitness.	-	-	-	-
4	Mr.Pranil Varankar	M	49	02-01-04	NA	NA	Sr.Operator	1	06-01-26	If BP>140/90 Start Treatment, Consult FMO/Physican For B.P. Monitoring Dietary Restrictions, Physical Exercise, Provisional Fitness.	-	-	-	-
5	Mr.Akshay Mahajan	M	30	01-07-25	NA	NA	Officer		06-01-26	Medically Fit	-	-	-	-
6	Mr.Nitin Dalvi	M	44	01-04-22	NA	NA	Hr.Documentri		06-01-26	Medically Fit	-	-	-	-
7	Mr.Tejas Salunkhe	M	23	21-07-25	NA	NA	Maintance		06-01-26	Medically Fit	-	-	-	-

Dr. Faisal Deshmukh
1. MBBS, 2. FCCH, 3. MD, 4. DPM, 5. DGO, 6. DNB, 7. DCH, 8. DSC, 9. DTM, 10. AFH
Consultant & Certifying Surgeon Reg. No. 62504



General Conditions - 17

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

RED/L.S.I (R22)/ Rev. RED/I.S./ (111.1)
No:- Format1.0/CC/UAN No.MPCB-
CONSENT-0000239007/CR/2509001154

Date: 11/09/2025

To,
Privi Speciality Chemicals Limited (Unit-I)
Plot No. A-7, MIDC Mahad
Tal Mahad, Dist Raigad



Sub: Grant of Amendment in Consent to Operate under change in Product mix & Renewal of existing consent by amalgamation of consents under RED/LSI

- Ref:**
1. Consent to Operate with change in product mix accorded vide No. Format1.0/CC/UAN No.0000151650/CO/2304000648, dated 11/04/2023, which was valid upto 31/08/2025.
 2. Environmental; Clearance accorded vide no.SEAC-2013/CR-242/TC-2 dated 08.10.2015.
 3. Minutes of 2nd meeting of Technical Committee of 2025-2026 held on 12/06/2025 & 13/06/2025.
 4. Minutes of 7th Consent Committee meeting of 2025-2026 held on 20/08/2025.

Your application No.MPCB-CONSENT-0000239007 Dated 06.03.2025

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The consent to renewal is granted for a period up to 30/04/2030**
2. **The capital investment of the project is Rs.65.1968 Crs. (As per C.A Certificate submitted by industry Existing CI is-Rs. 65.18 Crs + Increase in C.I. - Rs.0.0168 Crs)**

3. **Consent is valid for the manufacture of:**

Sr No	Product	Existing Quantity	Proposed Quantity	Total	UOM
Products					
1	Amber Fluer and its derivatives, Amber gamma, Cedarketol	6120	2880	9000	Ton/Y
	Amber Fleur and its intermediates & Derivatives such as DMPC Ethanone, Amber gamma & Silveramber				
2	Indian Sandal Core	240	-240	0	Ton/Y
3	L-Limonene	421	311	732	Ton/Y
4	Distillation of Aroma chemicals (By Distillation process)	468	0	468	Ton/Y
5	Potassium Tetrafluoroborate (Inorganic Product)	0	492	492	Ton/Y
6	PCM Fractions	1659	1156	2815	Ton/Y
7	Amber odour blend 5091	1175	798	1973	Ton/Y
8	Woody odour 5099	197	-197	0	Ton/Y
9	Limonene -LP	953	958	1911	Ton/Y
10	Ambery silk	0	600	600	Ton/Y
11	Citronellol (COL)	60	120	180	Ton/Y
12	Citral Extra Pure	120	120	240	Ton/Y
13	Cedar Ketol	80	100	180	Ton/Y
14	Citral Extra Pure	120	780	900	Ton/Y

Product no. 6 to 10 are manufactured by Formulation by blending of fractions & product from 11 to 14 are repacking and sale products.

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	110.45	As per Schedule-I	To common ETP at sister concern at Plot no.A-3 ,MIDC Mahad
2.	Domestic effluent	10	As per Schedule-I	To common ETP at sister concern at Plot no.A-3 ,MIDC Mahad

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	S-1	DG set (380 KVA)	1	As per Schedule -II
2	S-2	DG SET (380 KVA)	1	As per Schedule -II

6. **Non-Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Insulation Material	0.65	Ton/Y	Sale	Sale to authorized party
2	MS Scrap	186	Ton/Y	Sale	Sale to authorized party
3	Other Waste (Wood, Paper, Glass, Decontaminated Plastic)	50.4	Ton/Y	Sale	Sale to authorized party
4	Canteen Waste	5.4	Ton/Y	Composting	Used as mannure

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
1	33.1 Empty barrels /containers /liners contaminated with hazardous chemicals /wastes	3120	Nos./Y	Recycle*	Sale to authorized party after decontamination / Recycler/CHWTSDf
2	5.2 Wastes or residues containing oil	600	Kg/Annum	HW for Co-Processing shall be routed through authorized pre-processing/Incineration	HW for Co-Processing shall be routed through authorized pre-processing/CHWTSDf
3	35.3 Chemical sludge from waste water treatment	120	Ton/Y	HW for Co-Processing shall be routed through authorized pre-processing/Landfill	HW for Co-Processing shall be routed through authorized pre-processing/CHWTSDf
4	Aqueous Fluoroboric acid (Fluoroboric acid) or	1120	Ton/Y	Recycle*/ Landfill after treatment/ As raw material consumption to make product in same unit	Sale to authorized party/CHWTSDf/As raw material consumption to make product in same unit
5	5.1 Used or spent oil	7.20	Ton/Y	Recycle*	Sale to authorised party / CHWTSDf
6	RECOVERED TOLUENE	10	Ton/Y	Recycle*	Sale to authorised party / CHWTSDf
7	RECOVERED METHANOL	15	Ton/Y	Recycle*	Sale to authorised party / CHWTSDf
8	Resin	12	Ton/Y	Recycle*	Sale to authorised party
9	20.3 Distillation residues	10	Ton/Y	HW for Co-Processing shall be routed through authorized pre-processing/Recycle*/Incineration	HW for Co-Processing shall be routed through authorized pre-processing/Sale to authorised party/CHWTSDf

***Industry shall ensure disposal of Hazardous Waste to the Actual user having permissions under Rule 9 of Hazardous and other Waste (M & TM) Rules, 2016**

8. **Conditions under Batteries (Management & Handling) Rules, 2001:**

Sr No	Type of Waste	Quantity	UoM	Disposal Path
1	Lead acid batteries	5.00	Nos./Y	Sale to authorized party

Specific Conditions for used Batteries:

- The applicant shall ensure that used batteries are not disposed of in any manner other than by depositing with the authorized dealer/ manufacturer/ registered recycler/ importer/ re-conditioner or at the designated collection center.
- The applicant shall file half-yearly return in Form VIII to the M.P.C. Board.
- Bulk consumers to their user units may auction used batteries to registered recyclers only.

9. **Conditions under E-Waste Management:**

Sr No	Type of Waste	Quantity	UoM	Disposal Path
1	E.waste	360.00	Kg/Annum	Sale to Authorized party

- The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
- The industry shall obtain necessary permission from the Directorate of Industrial Safety and Health (DISH).
- The applicant shall properly collect, transport & regularly dispose-off the Hazardous Waste to CHWTSDF, in compliance of the Hazardous and other Waste (M & TH) Rule-2016 and keep proper manifest thereof.
- This consent is issued pursuant to the decision of the 7th Consent Committee Meeting of 2025-2026 held on 20/08/2025.
- The applicant shall comply with the conditions of the Environmental Clearance accorded vide no.SEAC-2013/CR-242/TC-2 dated 08.10.2015 and ensure display/upload of six monthly compliance monitoring report on their official website.
- The applicant shall not carry out any excess production or produce new products without Consent of the Board and without Environmental Clearance wherever it applicable.
- Industry shall install online continuous monitoring system as per CPCB guidelines & data to be transmitted directly from Data Logger to Board server .
- The applicant shall not carry out any excess production or produce new products without Consent of the Board and without Environmental Clearance wherever it applicable.
- Industry shall comply with the mechanism for Environmental management prepared by Central Pollution Control Board for CEPI listed areas, as industry falls under Other Polluted Area of CEPI.
- Industry shall achieve TPM-50 mg/NM3 being the unit is in CEPI area as per MPC Board policy and accordingly consent shall be amended for the stringent standards.
- The applicant shall make an application for renewal of consent 120 days prior to date of expiry of the consent.

22. This consent is issued pursuant to the decision of Minutes of 2nd Technical Committee meeting under change in product mix (2025-2026) held on 12/06/2025 & 13/06/2025. This Consent is issued based on self-assessment of Pollution Load submitted by you in Board's prescribed format and Certificate of "No Increase in pollution load" issued by M/s. Aditya Environmental Services Private Limited vide letter dated 18/03/2025. If any violation and / or submission of misleading information are noticed, then the consent issued under MoEF & CC Product Mix Circular dtd. 14.12.2006 will stand automatically cancelled and you have to follow the procedure of EIA Notification, 2006 and Amendments thereof for obtaining Environmental Clearance.
23. The industry shall create an Environment Cell by appointing an Environmental Engineer OR Expert for looking after day-to-day activities related to Environment OR Pollution control.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Disnazy

6f9a5d5a
2ee692d4
3f5ed236
2a62eec6
6299cdf2
92367198
0c586414
6101bc54

Signed by: **Dr. Avinash Dhakne**
Member Secretary
For and on behalf of,
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2025-09-11 21:09:01 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	500000.00	TXN2503006586	27/03/2025	Online Payment
2	500.00	TXN2509000426	03/09/2025	Online Payment

Copy to:

1. Regional Officer, MPCB, Raigad and Sub-Regional Officer, MPCB, Mahad
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] ETP with design capacity of 300 cmd followed by RO-300 cmd & MEE - 72 cmd & ATFD 15 KLD are provided to treat effluent generated from Unit - I & Unit - III. From Unit - I (Plot A- 7) 121.42 cmd , out of which 5 cmd High TDS effluent & 117 cmd low stream of Effluent will be transferred to Unit -III (Plot No A-3) through separate pipeline. High TDS effluent with Unit-III high TDS effluent & Treated in ATFD & Low Streams mixed with Unit-III low COD streams treated in ETP. Unit - III (Plot No. A-3) Out of 160 cmd, 20 cmd treated in STP & treated effluent mixed in ETP & further treated. Out 140 cmd , 134 cmd low stream effluent treated along with U-I low stream effluent in ETP & 6 cmd High TDS effluent treated along with Unit-I high TDS effluent in ATFD. Total effluent i.e. total 281.42 cmd of effluent is treated in ETP, RO, MEE followed by ATFD, treated effluent 217 cmd shall be discharged to CETP & remaining 64.42 cmd recycled in cooling water of both Units (Unit-I & Unit-III). Industry has provided separate line for treated water to Unit-I for recycle of the same in cooling Tower.
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
(1)	pH	6.0 -8.5
(2)	BOD (3 days 27°C)	30
(3)	COD	250
(4)	TSS	100
(5)	Oil & Grease	10
(6)	Ammonical Nitrogen	50
(7)	Phosphates as P	5
(8)	Sulphides as S	2
(9)	Phenolic Compounds	1
(10)	Cyanide (as HCN)	0.1
(11)	Arsenic	0.2
(12)	Mercury	0.01
(13)	Lead	0.1
(14)	TDS	2100

- C] The Industry shall ensure connectivity online monitoring system to the MPCB server including separate energy meter for pollution control system.
- D] The treated effluent shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise after confirming above standards. In no case, effluent shall find its way for gardening / outside factory premises.

2. A] As per your application, primary treated sewage connected to Effluent Treatment Plant for further treatment & disposal.
B] Industry shall comply prescribed standards & disposal path as prescribed at Sr. No. 1 B & C of schedule I.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	219.65
2.	Domestic purpose	12.50
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	81.05
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S-1	DG set (380 KVA)	Acoustic Enclosure	4.00	HSD 200 Ltr/Hr	1.0	SO ₂	96 Kg/Day
						TPM	50 Mg/Nm ³
2	DG SET(380 KVA)	Acoustic Enclosure	4.00	HSD 200 Ltr/Hr	1.0	SO ₂	96 Mg/Nm ³
						TPM	50 Mg/Nm ³
						SO ₂	-

STACK HEIGHT ARE 4 MTRS ABOVE THE ROOF .Privi specialty chemicals ltd. Unit III,PLOT No.A-3 is supplying steam requirement of unit 1.

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Solvent Management shall be carried out as follows:
- Reactors shall be connected to Water / Chilled Water /Brine Condenser system.
 - Reactors and solvent handling pumps shall have mechanical seals to prevent the leakages.
 - The condensers shall be provided with adequate Heat transfer area (HTA) and residence time so as to achieve more than 97% overall recovery
 - Solvents shall be stored in a separate space specified with all safety measures.
 - Proper earthing shall be provided in all the equipment's, wherever solvent handling is done.
 - Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses.
 - All the solvent storage tanks shall be connected with vent condensers with Water / chilled water / Brine circulation.
 - Fugitive emissions shall be controlled at 99.95% with effective chillers.
 - Solvent transfer shall be through pump.
 - Metering and control of quantities of active ingredients to minimize wastes.
 - Use of automatic filling to minimize spillage.

- l. Use of close feed system into batch reactors.
- m. Venting equipment through vapour recovery system.

SCHEDULE-III

Details of Bank Guarantees:

Sr. No	Consent (C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R (existing to be extended) (As per ID 26/05/2025)dated	Rs. 10 Lakh	15 days	Towards compliance of conditions and O & M of PCS.	31/08/2030	31/08/2031

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
1	Interim directions dated 26/05/2025	Rs. 5 Lakh	Already forfeited	Towards Compliance of Consent Conditions & providing PCS	Rs. 5 Lakh	Non compliance observed during ID dated 26/05/2025.

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

SCHEDULE-IV

General Conditions:

1. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that e-waste generated by them is channelised through collection centre or dealer of authorised producer or dismantler or recycler or through the designated take back service provider of the producer to authorised dismantler or recycler
2. Bulk consumers of electrical and electronic equipment listed in Schedule I shall maintain records of e-waste generated by them in Form-2 and make such records available for scrutiny by the concerned State Pollution Control Board
3. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that such end-of-life electrical and electronic equipment are not admixed with e-waste containing radioactive material as covered under the provisions of the Atomic Energy Act, 1962 (33 of 1962) and rules made there under;
4. Bulk consumers of electrical and electronic equipment listed in Schedule I shall file annual returns in Form-3, to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates. In case of the bulk consumer with multiple offices in a State, one annual return combining information from all the offices shall be filed to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates.
5. Specific Conditions for storage, Handling and Disposal of Waste from Electrical & Electronic equipment (WEEE):
 1. **Collection of WEEE** - The applicant must provide appropriate and dedicated vehicles duly identified as per the norms for transportation of Hazardous Waste. The applicant shall obtain all the required permits for transportation of WEEE from competent authority. The applicant shall ensure the safe transport of the WEEE without any spillage during transportation.

Storage for disassembled parts: The applicant must provide appropriate storage for disassembled spare parts from WEEE. Some spare parts (e.g. motors and compressors) will contain oil and/or other fluids. Such part must be appropriately segregated and stored in containers that are secured such that oil and other fluids cannot escape from them. These containers must be stored on an area with an area with an impermeable surface and a sealed drainage system.
 2. **Storage for other components and residues:** Other components and residues arising from the treatment of WEEE will need to be contained following their removal for disposal or recovery. Where they contain hazardous substances they should be stored on impermeable surface and in appropriate containers or bays with weatherproof covering. Containers should be clearly labelled to identify their contents and must be secured so that liquids, including rain water cannot enter them. Components should be segregated having regard to their eventual destinations and the compatibility of the component types. All batteries should be handled and stored having regard to the potential fire risk associated with them.
 3. **Balances** : WEEE Guidelines also requires that sites for handling of WEEE have "balances to measure the weight of the segregated waste". The objective is to ensure that a record of weights can be maintained of WEEE entering a facility and components and materials leaving each site (together with their destinations). The nature of the weighing equipment should be appropriate for the type and quantity of WEEE being processed.

4. Plastic, which cannot be recycled and is hazardous in nature, is recommended to be land filled in nearby CHWTSDf.
 5. Ferrous and nonferrous metal recycling facilities fall under the purview of existing environmental regulations for air, water, noise, land and soil pollution and generation of hazardous waste and the same should be followed.
 6. CFCS should be either reused or incinerated in common hazardous waste Incineration facilities at CHWTSDf.
 7. Waste Oil should be either reused or incinerated in common hazardous waste incineration facilities.
 8. PCB's containing capacitors shall be incinerated in common hazardous waste incineration facilities at CHWTSDf.
 9. Mercury recovery and lead recycling facilities from batteries fall under the Hazardous & Other Wastes (M & TM) Rules, 2016.
 10. Existing environmental regulations for air; water; noise, land and soil pollution and generation of hazardous waste and the same should be followed. In case Mercury or lead recovery is very low, they can be temporarily stored at e-waste recycling facility and later disposed in TSDF.
 11. The industry shall maintain records of the e-waste purchased, processed in Form-2 and shall file annual returns of its activities of previous year in Form-3 as per Rules 11(9) & 13(3)(vii) of the E-Waste(M) Rules, 2016; on or before 30th day of June of every year.
6. The Energy source for lighting purpose shall preferably be LED based
 7. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
 8. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
 9. The applicant shall maintain good housekeeping.
 10. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.

11. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
12. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding upon you.
13. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
14. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
15. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
16. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
17. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
18. You shall operate OCEMS installed for source emission round 'O' clock and transmit data online to CPCB and MPCB server. You shall also monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
19. You shall ensure collection, and segregation of BMW regularly to treat and dispose Off within 48 hrs from generation.
20. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
21. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
22. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
23. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
24. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport the Bio Medical waste for any other purpose without obtaining prior written permission of the MPC Board.

25. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
26. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
27. The industry should not cause any nuisance in surrounding area.
28. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
29. You shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the facility premises.
30. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
31. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto
32. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
33. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
34. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
35. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
36. You should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
37. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

38. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
39. You shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
40. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
41. You shall create the Environmental Cell by appointing an Environmental Engineer and Chemist for looking after day-to-day activities related to compliance of CCA.
42. You should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 , Bio Medical Waste Management Rules,2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year in Form-IV by 30th June of every year
43. You should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 , Bio Medical Waste Management Rules,2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year in Form-IV by 30th June of every year

This certificate is digitally & electronically signed.



Mumbai Waste Management Ltd.

Certificate

— of Membership —

M/s. PRIVI SPECIALITY CHEMICALS LTD. (Unit-I)

is a registered member of
CHW-TSDF at MIDC –Taloja for
safe and secure disposal of
Hazardous waste with

Membership No: MWML – HZW – MHD – 409

Certificate No: 3602-1017

This Certificate is valid up to: 31st MARCH 2026



Onkar Kulkarni
Manager – MBD



Somnath Malgar
Director

General Conditions - 19

Dayanand Patil

From: Ravsaheb Gite
Sent: 05 March 2026 10:31
To: jddish.rai-mh@mah.gov.in; thakre.sr@gov.in
Cc: Saleem Sirkhot
Subject: RE: Mock Drill Report - Privi Speciality Chemicals Limited - February 2026
Attachments: U1 Fire to AF drum while charging at Blending 23.02.2026.pdf; Unit-2-50% H2O2 Storage Tank leakage-Damascone & Orange Plant Tankfarm 17.02.2026.pdf; Unit- III -Mock drill - 20 TPH Boiler back fire 24.02.2026.pdf; Unit IV- Mock Drill -TFH fire -18.02.2026.pdf; Unit-10 Mock drill DHMOL IBC leakage 28.02.2026.pdf; RPL Mock Drill - Equalization Tank bottom valve failure in ZLD plant, 16.02.2026.pdf

Dear Sir,
Good morning.
Sending Privi Speciality all unit's mock drill report files as an attachment.

Unit I – Dt. 23.02.2026
Unit II – Dt. 17.02.2026
Unit III – Dt. 24.02.2026
Unit IV – Dt. 18.02.2026
Unit VII – Dt. 16.02.2026
Unit X – Dt. 28.02.2026

Regards,
Ravsaheb Gite
Head – EHS
Privi Speciality Chemicals Ltd.
Unit – II, Plot No. C-3, 4, 5, 6, 6/1, 8 & 9,
MIDC, Mahad, Dist. Raigad 402309.
Maharashtra, India.
Handphone – 9822943969

From: Ravsaheb Gite
Sent: 28 November 2025 16:35
To: 'jddish.rai-mh@mah.gov.in' <jddish.rai-mh@mah.gov.in>; 'thakre.sr@gov.in' <thakre.sr@gov.in>
Cc: Saleem Sirkhot <salim@privi.co.in>
Subject: RE: Mock Drill Report - Privi Speciality Chemicals Limited - Mahad

Dear Sir,

Good evening.
Sending Privi Speciality all unit's mock drill report files as an attachment.
This time we conducted mock drill in silent hours (night shift) to improve the emergency preparedness.
Unit I – Dt. 15.11.2025
Unit II – Dt. 17.11.2025
Unit III – Dt. 14.11.2025
Unit IV – Dt. 18.11.2025
Unit X – Dt. 20.11.2025

	PRIVI SPECIALITY CHEMICALS LIMITED, UNIT-I	Page 1 of 6
	Department: EHS	
	Mock Drill Report	

Name & Address Company: M/s. Privi Speciality Chemicals Ltd, Unit-I, Mahad.			
Mock Drill No: 04/2025-26			
1.	Date:23.02.2026	Start Time: 16:03 hrs. End Time: 16:18 hrs.	
2.	Location/ Name of Plant: Blending Area		
3.	Section: Drum Filling Area		
4.	Scenario planned: Fire to AF drum during filling due to earthing disturbed		
5.	Objective of Mock Drill: - To check on-site emergency planning, preparedness, and response. - To check adequacy of emergency control system. - To check preparedness & response of employees & Key personnel. - To review process safety measures adequacy.		
6.	Name and Designation of Observers:		
a.	Incident spot: Mr. Sanjay Bankar– Manager- EHS ECC: Mr. Arvind Shedge –Dy. Manager–Production		
	Key Personal support- Mr. Arvind Shedge (Dy. Manager–Prod)		
7.	Name & Designation of Person, who sent a message from Field: Mr. Sharad Sakpal		
Operator: Mr. Sharad Sakpal Site Main Controller: Mr. Satish Jadhav– Sr. Executive - Production Incident Controller: Mr. Dinesh Jadhav– Executive - Production Communication In charge: Mr. Vinod Jagtap – Security Supervisor			
No.	Message Sent to	Time	Mode of Message
1.	Mr. Dinesh Jadhav	16:04 hrs.	Telephone
2	Mr. Satish Jadhav	16:05 hrs.	Walkie-Talkie
3.	Mr. Arvind Shedge	16:05 hrs.	Telephone
Affected Person: Mr. Rahul Tudilkar– Plant helper – Burn Injury to left Hand		Equipment involved: Drum of Finish Product	

	PRIVI SPECIALITY CHEMICALS LIMITED, UNIT-I	Page 2 of 6
	Department: EHS	
	Mock Drill Report	

	Details of Planned Field Scenario - At around 16:03 Hrs., Mr. Rahul Tudilkar was doing regular activities at the Blending area. During the AF drum filling from the storage tank earthing continuity disturbed. As a result, the drum catch fire due to static charge & Mr. Rahul Tudilkar get burn injury to his left hand. The incident was first observed by Mr. Sharad Sakpal. - Mr. Sharad Sakpal immediately informed Mr. Dinesh Jadhav, the Shift Executive. - Mr. Dinesh Jadhav (Incident Controller) rushed to the incident site, assessed the situation, and communicated the details to Mr. Satish Jadhav (Site Main Controller). - Mr. Satish Jadhav proceeded to the Emergency Control Centre (ECC), reviewed the emergency with Mr. Dinesh Jadhav, and instructed the Security Supervisor to declare an emergency by sounding the emergency siren. - Upon hearing the emergency siren, all employees—except those engaged in critical processes—evacuated the plant and assembled at the designated assembly point.		
9	Name of Shift Executive: Mr. Dinesh Jadhav Unit Operator: Mr. Sharad Sakpal		
	Immediate actions taken: - Electrical isolation done at incident area. - Fire fighting started with help of nearby fire fighters.		
10	Details of Actions Taken by Control Room & Field Persons during Mock Drill. :		
Benchmark (Min.)	Actual Time (Hrs)	Sequence of Action Taken to control the emergency	
--	16:03	At around 16:03 Hrs., Mr. Rahul Tudilkar was doing regular activities at the Blending area. During the AF drum filling from the storage tank earthing continuity disturbed. As a result, the drum catch fire due to static charge & Mr. Rahul Tudilkar get burn injury to his left hand.	
1.0	16:03	First observer Mr. Sharad Sakpal informed to Incident Controller about the incident.	
2.0	16:04	Incident Controller reached to the incident spot and took the charge of situation.	
--	16:05	He communicated to site main controller and instructed to electrician for electrical isolation.	
--	16:05	Meanwhile Incident controller called the nearby fire fighters & first aiders to control the emergency.	
3.0	16:06	Site main controller reached at Emergency control centre (ECC) to assess the	

	PRIVI SPECIALITY CHEMICALS LIMITED, UNIT-I	Page 3 of 6
	Department: EHS	
	Mock Drill Report	

		emergency with Incident Controller.
--	16:06	As per instruction of SMC, Siren operated by security to declare on-site emergency.
4.0	16:07	All personnel were instructed to assemble at the assembly point except persons who were engaged in critical process.
5.0	16:08	ERT (Fire fighters cum Spill Control & First Aider team), Engg. Team & other employees arrived at ECC and stand up in a row.
6.0	16:08	As instructed by SMC, Communication in charge called Ambulance & Fire Tender from Unit-II & communicated to key personnel and Unit- II & Unit- III ERT members.
7.0	16:09	As instructed by SMC, ERT members (Fire fighters cum Spill Control & First Aider team & Engg. Team) rushed towards incident spot and initiated actions as per the instructions by incident controller.
8.0	16:09	One casualty was observed at spot, during drum filling at near filling station, he was shifted to ECC with help of first aiders & first aid given.
10.0	16:12	Meanwhile Ambulance arrived at site with male nurse, reported to SMC & then casualty shifted to hospital for further treatment.
12.0	16:13	Fire Tender arrived at site with fire men, reported to SMC and rushed towards incident spot and initiated actions as per the instruction by incident controller.
14.0	16:14	Fire fighters cum spill control team controlling the fire with help of fire Extinguisher, fire hydrant hoses & Water Foam Monitor spraying the water with foam.
16.0	16:15	Incident controller updated the situation to Site Main Controller through walkie talky.
--	16:16	Fire fighters cum spill control team control the emergency & continued salvage operation.
----	16:16	Meanwhile Incident Controller inform to Site main controller of controlled emergency.
17.0	16:17	Head count checked by security personnel. Total-76 No's.
18.0	16:18	After verifying and tallying head count SMC instructed to security supervisor to blow 'all clear' siren to declare emergency over. After emergency all clear siren, SMC declared this emergency as Mock drill.
Post Emergency Activities -All emergency equipment's kept on place, area cleaned, and water diverted to ETP for further treatment. After emergency siren blown= 2 min. Evacuation after Incident= 5 min. Total time taken to mitigate emergency = 15 min.		

	PRIVI SPECIALITY CHEMICALS LIMITED, UNIT-I	Page 4 of 6
	Department: EHS	
	Mock Drill Report	

11	First Aid Response: - First Aider team checked for casualty, one casualty observed, first aid given.
12	ERT Team members:(Fire fighter cum Spill control Team, First Aider Team, Engg Team) Fire Fighters cum Spill Controller: Mr. Jitesh Kank, Mr. Sanjay Warke, Mr. Aashish Ambre, Mr. Dinesh Shigwan, Mr. Suryakant Gaikwad, Mr. Sharad Sakpal, Mr. M. Shaikh, Mr. Sunil Kate, Mr. Vijay Gaikwad, Mr. Akshay Mahajan. First Aiders: Mr. Sanjay Rane, Mr. Sandeep Chavan, Mr. Satish Jadhav, Mr. Vinod Jagtap, Mr. Dattatray Padalkar. Engg. Team: Mr. Kunal Sutar, Mr Sanjay Sinha ERT members from Unit- II – Nil ERT members from Unit- III – Nil Male Nurse – Rohit Bhoir, Ambulance Driver- Nitin Mahadik, Fire Tender Driver – Althamesh Kudupkar, Fire Officer- Tejas Shinde

13. Name Of Equipment	Quantity	Remarks
Fire hydrant hoses & Hose reel	02	Good Condition
M. Foam compound carboy	02	Good Condition
Foam water Monitor	00	Good Condition
SCBA (Self Contained Breathing Apparatus)	01	Good Condition
Stretcher	01	Good Condition
Fire Tender	01	Good Condition
Ambulance	01	Good Condition

14. Observations:

Sr.No.	Observations	Recommendations	Action By
1	QC Lab employee not gathered at assembly point.	Emergency preparedness training to be given	EHS Dept.
2	Engg Dept. person not reached at fire hydrant pump house.	Emergency preparedness training to be given	EHS Dept.

	PRIVI SPECIALITY CHEMICALS LIMITED, UNIT-I	Page 5 of 6
	Department: EHS	
	Mock Drill Report	

15. Noteworthy Points / Strengths:

1. Fire fighters & First Aiders activity was good.
2. All employees evacuated properly & assembled at assembly point.
3. Ambulance & Fire Tender reached at site within time.
4. All activities covered within benchmark time.
5. Shift Executive (Incident Controller) & plant operator (First Observer) acted as effectively.

16. Mock Drill site photographs:



Fire catches to AF Drum during filling operation due to earthing disturbed & burn injury to nearby worker.

	PRIVI SPECIALITY CHEMICALS LIMITED, UNIT-I	Page 2 of 6
	Department: EHS	
	Mock Drill Report	

	Details of Planned Field Scenario 1. At around 00:33 hrs, Mr. Rajendra Karle was overseeing regular activities at the AF plant. During the transfer of 10 KL Toluene from the storage tank to reactor R-14, an air lock developed in pump PIST-05, causing a dry run. As a result, the pump overheated and a small fire broke out, affecting both the pump and storage tank IST-05. The incident was first observed by Mr. Rajendra Karle. 2. Mr. Rajendra Karle immediately informed Mr. Ganesh Chorge, the plant Senior Operator, and activated the nearest manual call point. 3. Mr. Ganesh Chorge (Incident Controller) rushed to the incident site, assessed the situation, and communicated the details to Mr. Dinesh Jadhav (Site Main Controller). 4. Mr. Dinesh Jadhav proceeded to the Emergency Control Center (ECC), reviewed the emergency with Mr. Ganesh Chorge, and instructed the Security Supervisor to declare an emergency by sounding the emergency siren. 5. Upon hearing the emergency siren, all employees—except those engaged in critical processes—evacuated the plant and assembled at the designated assembly point.		
9	Name of Shift Executive: Mr. Dinesh Jadhav		
Unit operator: Mr. Rajendra Karle			
	Immediate actions taken: - Electrical isolation done at incident area. - Fire fighting started with help of nearby fire fighters.		
10	Details of Actions Taken by Control Room & Field Persons during Mock Drill. :		
	Benchmark (Min.)	Actual Time (Hrs)	Sequence of Action Taken to control the emergency
	--	00:33	At around 00:33 hrs, while overseeing routine activities at the AF plant, Mr. Rajendra Karle noticed that during the transfer of 10 KL Toluene from the storage tank to reactor R-14, an air lock developed in pump PIST-05. This caused the pump to run dry and overheat, resulting in a small fire that affected both the pump and the IST-05 storage tank.
	1.0	00:34	First observer Mr. Rajendra Karle informed to Incident Controller about the incident.
	2.0	00:35	Incident Controller reached to the incident spot and took the charge of situation.
	--	00:36	He communicated to site main controller and instructed to electrician for electrical isolation.
	--	00:36	Meanwhile Incident controller called the nearby fire fighters & first aiders to

	PRIVI SPECIALITY CHEMICALS LIMITED, UNIT-I	Page 3 of 6
	Department: EHS	
	Mock Drill Report	

		control the emergency.
3.0	00:37	Site main controller reached at Emergency control centre (ECC) to assess the emergency with Incident Controller.
--	00:37	As per instruction of SMC, Siren operated by security to declare on-site emergency.
4.0	00:39	All personnel were instructed to assemble at the assembly point except persons who were engaged in critical process.
5.0	00:40	ERT (Fire fighters cum Spill Control & First Aider team), Engg. Team & other employees arrived at ECC and stand up in a row.
6.0	00:40	As instructed by SMC, Communication in charge called Ambulance & Fire Tender from Unit-II & communicated to key personnel and Unit- II & Unit- III ERT members.
7.0	00:41	As instructed by SMC, ERT members (Fire fighters cum Spill Control & First Aider team & Engg. Team) rushed towards incident spot and initiated actions as per the instructions by incident controller. Plant taken on safe mode and electrical supply nearby area switch off.
8.0	00:38	One casualty was observed at spot, during sampling near the Toluene tank, he was shifted to ECC with help of first aiders & first aid given.
10.0	00:42	Meanwhile Ambulance arrived at site with male nurse, reported to SMC & then casualty shifted to hospital for further treatment.
12.0	00:42 00:43 00:42	Fire Tender arrived at site with fire men, reported to SMC and rushed towards incident spot and initiated actions as per the instruction by incident controller. Unit- III ERT members reported to SMC at ECC. Unit- II ERT members reported to SMC at ECC
14.0	00:43	Fire fighters cum spill control team controlling the fire with help of fire Extinguisher, fire hydranthoses, & Water Foam Monitor spraying the water with foam.
16.0	00:43	Incident controller updated the situation to Site Main Controller through walkie talky.
--	00:44	Fire fighters cum spill control team control the emergency & continued salvage operation.
----	00:44	Meanwhile Incident Controller inform to Site main controller of controlled emergency.
17.0	00:45	Head count checked by security personnel. Total-33 no's (Employees 15 nos.& Visitors - 18)
18.0	00:45	After verifying and tallying head count SMC instructed to security supervisor to

	PRIVI SPECIALITY CHEMICALS LIMITED, UNIT-I	Page 4 of 6
	Department: EHS	
	Mock Drill Report	

		blow 'all clear' siren to declare emergency over. After emergency all clear siren, SMC declared this emergency as Mock drill.
--	--	--

Post Emergency Activities -All emergency equipment's kept on place, area cleaned, and water diverted to ETP for further treatment.

After emergency siren blown= 3 min.

Evacuation after Incident= 8 min.

Total time taken to mitigate emergency = 13 min.

11	First Aid Response: - First Aider team checked for casualty, one casualty observed, first aid given.
12	ERT Team members:(Fire fighter cum Spill control Team, First Aider Team, Engg Team) Fire Fighters cum Spill Controller: Mr. Ganesh Chorge, Mr. Rajendra Karle, Mr. Ashish Ambre, Mr. Prakash Sutar, Mr. Dinesh Jadhav. First Aiders: Mr. Mahendra Jawale, Mr. Pramod Chopade, Mr. Satish Ghodke, Mr. Manish Shelar, Mr. Vinod Jagtap, Mr. Nitin Doshi. Engg. Team: Mr. Prakash Sutar. ERT members from Unit- II – ERT members from Unit- III – Mr. Ravi Sagvekar Male Nurse – Rohit Bhoir, Ambulance Driver- Nitin Mahadik, Fire Tender Driver – Anil More Fire Officer- Swapnil

13. Name Of Equipment	Quantity	Remarks
Fire hydrant hoses&Hose reel	02	Good Condition
M.Foam compound carboy	02	Good Condition
Foam water Monitor	01	Good Condition
SCBA (Self Contained Breathing Apparatus)	01	Good Condition
Stretcher	01	Good Condition
Fire Tender	01	Good Condition
Ambulance	01	Good Condition

14. Observations:

Sr.No.	Observations	Recommendations	Action By
1	Main site controller & Incident controller communication needs to improve.	Emergency preparedness training to be given	EHS /Admin Dept.

	PRIVI SPECIALITY CHEMICALS LIMITED, UNIT-I	Page 5 of 6
	Department: EHS	
	Mock Drill Report	

2	M/S. Shri Hari chemicals gas exposure	Informed at main gate of shri hari chemicals.	HR/Admin Dept.
---	---------------------------------------	---	----------------

15. Noteworthy Points / Strengths:

1. Fire fighters & First Aiders activity was good.
2. All employees evacuated properly & assembled at assembly point.
3. Ambulance & Fire Tender reached at site within time.
4. All activities covered within benchmark time.
5. Unit- I & III ERT members responded immediately at Emergency spot within time.
6. Shift plant operator acted as incident controller effectively.

16. Mock Drill site photographs:



Fire catch to IST-05 toluene tank & burn injury to nearby worker.

General Conditions - 20



Sr. No.	Designation	Responsibility
1	Sr. General Manager (Sustainability)	- Overall responsibility for Environmental Issue of the plant, Environment policy and directions. - Develop and implement the organization's environmental management strategy. - Identify opportunities for reducing environmental impact through resource efficiency, waste minimization, and green technologies. - Ensure compliance with local, national, and international environmental laws and standards. - Oversee permits, licenses, and approvals related to emissions, effluent discharge, hazardous waste, and resource use. - Ensure accurate reporting of environmental performance to regulatory authorities and stakeholders. - Ensure safe handling, storage, and disposal of hazardous materials.
2	Manager (Sustainability)	- Daily monitoring of ETP operation and environmental control system connected to EHS discipline. - Ensure the legal compliance communicated to regulatory authority. - Ensure accurate reporting of environmental performance to regulatory authorities and stakeholders. - Participates in Environment meetings and performance reviews. - Control environmental documents and maintains. - Ensure safe handling, storage, and disposal of hazardous materials. - Ensure compliance with local, national, and international environmental laws and standards.
3	Executive (Sustainability)	- Overall, In-charge in operation of environment management facilities - Ensure environmental monitoring as per SOP - Ensure record of generation, handling, storage, transportation, and disposal of Solid Hazardous Waste. - awareness programs among the workers. - Day to day work planning & manpower handling - Control environmental documents and maintains. - Check the environment's performance daily basis and report to the Manager. - Check health of the pollution control equipment & timely maintenance. - Control Environmental documents in accordance with the Document Control Procedures. - Participates in Environment meetings and performance reviews. - Preventive maintenance of all equipment is as per schedule.



4	Officer (Lab Analyst)	• Conduct stage-wise sampling and analysis of incoming, in-process, and final effluent. • Perform chemical, biological, and physical tests (pH, COD, BOD, TDS, turbidity, heavy metals, microbiological analysis). • Maintain accurate records of test results in logbooks and digital systems. • Highlight deviations from permissible limits and recommend corrective actions. • Follow standard operating procedures (SOPs) for laboratory testing. • Operate and maintain laboratory instruments (spectrophotometer, DO meter, pH meter, BOD incubator). • Calibrate equipment regularly to ensure accuracy.
---	--------------------------	--

General Conditions - 23




Privi Speciality Chemicals Ltd, Unit-I

Details of Funds for Environment

Protection

Sr. No.	Pollution Control Measures	Cost Per Annum in Lakhs
1	Green Belt development	2
2	Solid Waste management	28
3	Environment Monitoring (Monitoring charges for air, water, noise)	4
4	Occupational Health & Hygiene (Includes cost of medical check-up, PPE & first aid kit and PPEs, first aid facility, safe drinking water plant & sanitation measures, EHS training & awareness program).	10
5	Air Pollution Control Measures	10
6	Water Pollution Control Measures	50
8	Rainwater Harvesting	10
9	CSR/CER Activity	2
Total		116

General Conditions - 24



General Conditions - 25



Ref. No: PSCL/U-I/EC-Compliance/25-26/286

Date: 29.11.2025

To,
The Deputy Director General of Forests (Central),
West Central Zone, Regional Office,
New Secretariate Building,
Opp. to VCA Ground, Civil Lines,
Nagpur-440 001

Sub: Submission Half Yearly Environmental Clearance Compliance Report of M/s. Privi Speciality Chemicals Limited for Unit-I, Plot No.: A-7, MIDC area, Mahad, Dist.- Raigad.

Ref: EC-Environment Department, MS, SEIAA Letter-SEAC 2013/CR-242/TC-2 Dated 08.10.2015

Dear Sir,

With reference to the above subject, we are submitting herewith the half yearly compliance report for the period of **April 2025 to September 2025**.

Compliance soft copies Compliance report submitting to Your mail Id ecompliance-mh@gov.in

We hope above compliance report is in line with EC condition.

Thanking You,

For Privi Speciality Chemicals Limited, Unit I

Authorized Signature

CC to:



- 1) The Regional Office, MPCB-Raigad
- 2) The Sub Regional Officer, MPCB-Mahad

S. S. S. S.
Regional Office, Raigad
MPCB Board, Raigad Bhavan, 6th Floor,
CED Belapur, Navi Mumbai - 400614

Total No. of Page - 100 Nos



PRIVI SPECIALITY CHEMICALS LIMITED

Unit I : A-7, M.I.D.C., Mahad - 402 309. Dist. Raigad, Maharashtra, India | Tel.: +91 8879228864 / 8879228865

Knowledge Centre & Regd. Office : Privi House, A-71, TTC, Thane Belapur Road, Near Kopar Khairane Railway Station, Navi Mumbai - 400 710. India | Tel.: +91 22 68713200 / 33043500 / 33043600 / 27783040 / 27783041 / 27783045
Fax: +91 22 27783049 / 68713232 | Email: enquiry@privi.co.in | Web: www.privico.com | CIN: L15140MH1985PLC28682

o/c



Ref. No: PSCL/U-I/EC-Compliance/25-26/286

Date: 29.11.2025

To,
The Deputy Director General of Forests (Central),
West Central Zone, Regional Office,
New Secretariate Building,
Opp. to VCA Ground, Civil Lines,
Nagpur-440 001

Sub: Submission Half Yearly Environmental Clearance Compliance Report of M/s. Privi Speciality Chemicals Limited for Unit-I, Plot No.: A-7, MIDC area, Mahad, Dist.- Raigad.

Ref: EC-Environment Department, MS, SEIAA Letter-SEAC 2013/CR-242/TC-2 Dated 08.10.2015

Dear Sir,

With reference to the above subject, we are submitting herewith the half yearly compliance report for the period of **April 2025 to September 2025**.

Compliance soft copies Compliance report submitting to Your mail Id ecompliance-mh@gov.in

We hope above compliance report is in line with EC condition.

Thanking You,

For Privi Speciality Chemicals Limited, Unit I

Authorized Signature

CC to:



- 1) The Regional Office, MPCB-Raigad
- 2) The Sub Regional Officer, MPCB-Mahad

Handwritten: 01.12.2025
Stamp: Sub Regional Office
Maharashtra Pollution Control Board
C-2, B-1, MIDC Area, Mahad,
Dist. Raigad

Total. Pages - 85




PRIVI SPECIALITY CHEMICALS LIMITED

Unit I : A-7, M.I.D.C., Mahad - 402 309, Dist. Raigad, Maharashtra, India | Tel.: +91 8879228864 / 8879228865

Knowledge Centre & Regd. Office : Privi House, A-71, TTC, Thane Belapur Road, Near Kopar Khairane Railway Station, Navi Mumbai - 400 710, India | Tel. : +91 22 68713200 / 33043500 / 33043600 / 27783040 / 27783041 / 27783045
Fax: +91 22 27783049 / 68713232 | Email: enquiry@privi.co.in | Web: www.privico.in | CIN: L15140MH1985PLC286828

General Conditions - 27



General Conditions - 28

Dayanand Patil

From: unit1legal@privi.co.in
Sent: 02 December 2025 15:27
To: ecompliance-mh
Cc: Sachin Rajurkar; Saleem Sirkhot; Dayanand Patil
Subject: Privi -Half Yearly EC compliance April 2025 to September 2025
Attachments: Privi Unit-I Half yearly EC Compliance Report Apr-25 to Sep-25.pdf

Follow Up Flag: Follow up
Flag Status: Flagged

Dear Sir.

Privi Speciality Chemicals Limited, Unit-I half yearly EC compliance Report from April 2025 to September 2025 is attached.

Rgds
Naveen



Ref. No: PSCL/U-I/EC-Compliance/25-26/286

Date: 29.11.2025

To,
The Deputy Director General of Forests (Central),
West Central Zone, Regional Office,
New Secretariate Building,
Opp. to VCA Ground, Civil Lines,
Nagpur-440 001

Sub: Submission Half Yearly Environmental Clearance Compliance Report of M/s. Privi Speciality Chemicals Limited for Unit-I, Plot No.: A-7, MIDC area, Mahad, Dist.- Raigad.

Ref: EC-Environment Department, MS, SEIAA Letter-SEAC 2013/CR-242/TC-2 Dated 08.10.2015

Dear Sir,

With reference to the above subject, we are submitting herewith the half yearly compliance report for the period of **April 2025 to September 2025**.

Compliance soft copies Compliance report submitting to Your mail Id ecompliance-mh@gov.in

We hope above compliance report is in line with EC condition.

Thanking You,

For Privi Speciality Chemicals Limited, Unit I

Authorized Signature

CC to:



- 1) The Regional Office, MPCB-Raigad
- 2) The Sub Regional Officer, MPCB-Mahad

Safodh...
Regional Office, Raigad
MPCB Board, Raigad Bhavan, 6th Floor,
CED Belapur, Navi Mumbai - 400614

Total No. of Page - 100 Nos



PRIVI SPECIALITY CHEMICALS LIMITED

Unit I : A-7, M.I.D.C., Mahad - 402 309. Dist. Raigad, Maharashtra, India | Tel.: +91 8879228864 / 8879228865

Knowledge Centre & Regd. Office : Privi House, A-71, TTC, Thane Belapur Road, Near Kopar Khairane Railway Station, Navi Mumbai - 400 710. India | Tel.: +91 22 68713200 / 33043500 / 33043600 / 27783040 / 27783041 / 27783045
Fax: +91 22 27783049 / 68713232 | Email: enquiry@privi.co.in | Web: www.privi.com | CIN: L15140MH1985PLC2868125

o/c



Ref. No: PSCL/U-I/EC-Compliance/25-26/286

Date: 29.11.2025

To,
The Deputy Director General of Forests (Central),
West Central Zone, Regional Office,
New Secretariate Building,
Opp. to VCA Ground, Civil Lines,
Nagpur-440 001

Sub: Submission Half Yearly Environmental Clearance Compliance Report of M/s. Privi Speciality Chemicals Limited for Unit-I, Plot No.: A-7, MIDC area, Mahad, Dist.- Raigad.

Ref: EC-Environment Department, MS, SEIAA Letter-SEAC 2013/CR-242/TC-2 Dated 08.10.2015

Dear Sir,

With reference to the above subject, we are submitting herewith the half yearly compliance report for the period of **April 2025 to September 2025**.

Compliance soft copies Compliance report submitting to Your mail Id ecompliance-mh@gov.in

We hope above compliance report is in line with EC condition.

Thanking You,

For Privi Speciality Chemicals Limited, Unit I

Authorized Signature

CC to:



- 1) The Regional Office, MPCB-Raigad
- 2) The Sub Regional Officer, MPCB-Mahad

Handwritten: 01.12.2025
Sub Regional Office
Maharashtra Pollution Control Board
C-2, B-1, Mahad, Dist. Raigad

Total. Pages - 85



PRIVI SPECIALITY CHEMICALS LIMITED

Unit I : A-7, M.I.D.C., Mahad - 402 309, Dist. Raigad, Maharashtra, India | Tel.: +91 8879228864 / 8879228865

Knowledge Centre & Regd. Office : Privi House, A-71, TTC, Thane Belapur Road, Near Kopar Khairane Railway Station, Navi Mumbai - 400 710, India | Tel. : +91 22 68713200 / 33043500 / 33043600 / 27783040 / 27783041 / 27783045
Fax: +91 22 27783049 / 68713232 | Email: enquiry@privi.co.in | Web: www.privico.in | CIN: L15140MH1985PLC286822

General Conditions - 29



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

FORM V

(See Rule 14)

Environmental Audit Report for the financial Year ending the 31st March 2025

Unique Application Number

MPCB-ENVIRONMENT_STATEMENT-0000087596

Submitted Date

29-09-2025

PART A

Company Information

Company Name

Privi Speciality Chemicals Ltd., Unit I

Application UAN number

MPCB-CONSENT-0000151650

Address

MIDC, Mahad

Plot no

A-7

Taluka

Mahad

Village

Mahad

Capital Investment (In lakhs)

6523

Scale

Large

City

Mahad

Pincode

402309

Person Name

Salim Sirkhot

Designation

VP - Operations

Telephone Number

9930262711

Fax Number

0

Email

salim@privi.co.in

Region

SRO-Mahad

Industry Category

Red

Industry Type

R22 Organic Chemicals manufacturing

Last Environmental statement submitted online

yes

Consent Number

No:- Format1.0/CC/UAN
No.0000151650/CO/2304000648

Consent Issue Date

2023-04-11

Consent Valid Upto

31/08/2025

Establishment Year

1990

Date of last environment statement submitted

Sep 21 2024 12:00:00:000AM

Industry Category Primary (STC Code) & Secondary (STC Code)

Product Information

Product Name

Amber Fluor and its derivatives , Amber gamma ,Cedarketol

Consent Quantity

6120

Actual Quantity

5983.12

UOM

MT/A

Indian Sandal Core

240

0

MT/A

L-Limonene

421

165.13

MT/A

Distillation of Aroma chemicals

468

0

MT/A

PCM Fractions

1659

871.02

MT/A

Amber odour blend 5091

1175

808.90

MT/A

Woody odour 5099

197

0

MT/A

Limonene -LP	953	0	MT/A
Citronellol (COL)	60	0	MT/A
Rose Oxide	120	0	MT/A
Cedar Ketol	80	0	MT/A
Citral Extra Pure	120	118.38	MT/A

By-product Information

By Product Name	Consent Quantity	Actual Quantity	UOM
NA	0	0	MT/A

Part-B (Water & Raw Material Consumption)

1) Water Consumption in m3/day

Water Consumption for Process	Consent Quantity in m3/day	Actual Quantity in m3/day
Cooling	219.65	57.00
Domestic	12.50	8.00
All others	0.00	0.00
Total	314.15	103.00

2) Effluent Generation in CMD / MLD

Particulars	Consent Quantity	Actual Quantity	UOM
Trade Effluent	111.42	69	CMD
Domestic Effluent	10	5	CMD

2) Product Wise Process Water Consumption (cubic meter of process water per unit of product)

Name of Products (Production)	During the Previous financial Year	During the current Financial year	UOM
All products	0.75	1.75	Ton/Ton

3) Raw Material Consumption (Consumption of raw material per unit of product)

Name of Raw Materials	During the Previous financial Year	During the current Financial year	UOM
All RM	1.1	0.52	Ton/Ton

4) Fuel Consumption

Fuel Name	Consent quantity	Actual Quantity	UOM
HSD	3504000	5000	Ltr/A

Part-C

Pollution discharged to environment/unit of output (Parameter as specified in the consent issued)

[A] Water

Pollutants Detail	Quantity of Pollutants discharged (kL/day) Quantity	Concentration of Pollutants discharged(Mg/Lit) Except PH,Temp,Colour Concentration	Percentage of variation from prescribed standards with reasons %variation	Standard	Reason
pH	0	7.2	0	6.0 -8.5	NA
BOD (3 days 27°C)	0	16.3	0	30	129 NA

COD	0	50.7	0	250	NA
TSS	0	8.3	0	100	NA
Oil & Grease	0	0	0	10	NA
Ammonical Nitrogen	0	0	0	50	NA
Phosphates as P	0	0	0	5	NA
Sulphides as S	0	0	0	2	NA
Phenolic Compounds	0	0	0	1	NA
Cyanide (as HCN)	0	0	0	0.1	NA
Arsenic	0	0	0	0.2	NA
Mercury	0	0	0	0.01	NA
Lead	0	0	0	0.1	NA
TDS	0	565	0	2100	NA

[B] Air (Stack)

<i>Pollutants Detail</i>	<i>Quantity of Pollutants discharged (kL/day)</i>	<i>Concentration of Pollutants discharged(Mg/NM3)</i>	<i>Percentage of variation from prescribed standards with reasons</i>		
	<i>Quantity</i>	<i>Concentration</i>	<i>%variation</i>	<i>Standard</i>	<i>Reason</i>
DG-SO2	0.52	44.56	0	96 Kg/Day	NA
DG-TPM	0.20	26.19	0	50 Mg/Nm3	NA

Part-D

HAZARDOUS WASTES

1) From Process

<i>Hazardous Waste Type</i>	<i>Total During Previous Financial year</i>	<i>Total During Current Financial year</i>	<i>UOM</i>
33.1 Empty barrels /containers /liners contaminated with hazardous chemicals /wastes	241	2745	Nos./Y
5.2 Wastes or residues containing oil	0.025	0	MT/A
Other Hazardous Waste	471.075	630.04	MT/A
Other Hazardous Waste	0	0	MT/A
5.1 Used or spent oil	0.872	0	MT/A
Other Hazardous Waste	0	0	MT/A
Other Hazardous Waste	0	0	MT/A

2) From Pollution Control Facilities

<i>Hazardous Waste Type</i>	<i>Total During Previous Financial year</i>	<i>Total During Current Financial year</i>	<i>UOM</i>
35.3 Chemical sludge from waste water treatment	10.905	6.98	MT/A

Part-E

SOLID WASTES

1) From Process

<i>Non Hazardous Waste Type</i>	<i>Total During Previous Financial year</i>	<i>Total During Current Financial year</i>	<i>UOM</i>
Insulation Material	0	1.792	MT/A
MS Scrap	16.385	75.96	130 MT/A

Other Waste (Wood, Paper,Glass, Plastic)	10.90	18.313	MT/A
Canteen Waste	1.122	4.170	MT/A

2) From Pollution Control Facilities

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
NA	0	0	MT/A

3) Quantity Recycled or Re-utilized within the unit

Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
0	0	0	MT/A

Part-F

Please specify the characteristics(in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

1) Hazardous Waste

Type of Hazardous Waste Generated	Qty of Hazardous Waste	UOM	Concentration of Hazardous Waste
33.1 Empty barrels /containers /liners contaminated with hazardous chemicals /wastes	2745	Nos./Y	Sold to Authorized party
5.2 Wastes or residues containing oil	0	MT/A	Disposed to CHWTSDF-MWML
35.3 Chemical sludge from waste water treatment	6.980	MT/A	Disposed to CHWTSDF-MWML
Other Hazardous Waste	630.04	MT/A	Sold to Authorized party - Aqueous Fluoroboric acid
Other Hazardous Waste	0	MT/A	Sold to Authorized party - Potassium/Sodium/ Calcium Tetrafluoroborate
5.1 Used or spent oil	0	MT/A	Sold to Authorized party
Other Hazardous Waste	0	MT/A	Sale to Authorized party - RECOVERED TOLUENE
Other Hazardous Waste	0	MT/A	Sale to Authorized party - RECOVERED METHANOL

2) Solid Waste

Type of Solid Waste Generated	Qty of Solid Waste	UOM	Concentration of Solid Waste
Insulation Material	1.792	MT/A	Disposed to CHWTSDF-MWML
MS Scrap	75.96	MT/A	Sold to Authorized Party
Other waste (Paper, wood, plastic, glass)	18.313	MT/A	Sold to Authorized Party
Canteen Waste	4.170	MT/A	Used as Manure - Composting

Part-G

Impact of the pollution Control measures taken on conservation of natural resources and consequently on the cost of production.

Description	Reduction in Water Consumption (M3/day)	Reduction in Fuel & Solvent Consumption (KL/day)	Reduction in Raw Material (Kg)	Reduction in Power Consumption (KWH)	Capital Investment(in Lacs)	Reduction in Maintenance(in Lacs)
RO permeate and rain water recycled	28.58	0	0	0	0	0

Part-H

Additional measures/investment proposal for environmental protection abatement of pollution, prevention of pollution.
[A] Investment made during the period of Environmental Statement

<i>Detail of measures for Environmental Protection</i>	<i>Environmental Protection Measures</i>	<i>Capital Investment (Lacks)</i>
Environment Monitoring	To check quality of emissions	1.5
Tree plantation	Green belt development	0.50
Awareness training	Competency enhancement	0.20

[B] Investment Proposed for next Year

<i>Detail of measures for Environmental Protection</i>	<i>Environmental Protection Measures</i>	<i>Capital Investment (Lacks)</i>
Tree plantation	Green belt development	1.0
Environmental Monitoring	To check quality of emissions	2.0

Part-I

Any other particulars for improving the quality of the environment.

Particulars

1. Unit has certified for ISO 14001, OHSAS 18001 QMS 9001,2. Each year celebrating WED 3. Developing green belt in and around factory premises.

Name & Designation

Salim Sirkhot -VP Operation

UAN No:

MPCB-ENVIRONMENT_STATEMENT-0000087596

Submitted On:

29-09-2025